

**ANALYSIS OF HEAVY METALS AND MICROBIAL LOAD IN
AAVARAI BHAVANA CHOORANAM****Dr. Harish Anbuselvan V.^{1*}, Dr. Sushil Kumar P. N.² and Dr. Rathinam J.³**^{1*}Lecturer, R.V.S Siddha Medical College & Hospital, Coimbatore.²Research Associate (Siddha), Siddha Clinical Research Unit, Safdarjung Hospital, New Delhi.³Assistant Medical Officer, Government Primary Health Centre, Thuneri, The Nilgiris.Article Received on
29 August 2021,Revised on 19 Sept. 2021,
Accepted on 09 October 2021

DOI: 10.20959/wjpr202113-21623

Corresponding Author*Dr. Harish Anbuselvan V.**Lecturer, R.V.S Siddha
Medical College & Hospital,
Coimbatore.**ABSTRACT**

Heavy metal analysis and microbial analysis of herbal medicine is necessary in present days to ensure the safety of the drug. The present study aimed at analysis of heavy metals and microbial load contaminant in the siddha drug Aavarai Bhavana Chooranam. The results revealed that 0.0373ppm of Lead is present in the drug and total bacterial count was found to be 4×10^3 CFU/g. Other toxic metals such as Arsenic, Mercury and cadmium are absent in the drug and microbial contaminants such as *E.coli*, *Enterobacteriaceae*, *Salmonella spp.* and *Staphylococcus aureus* are also absent in ABC. Hence, the drug is free of toxic heavy metals and microbial contaminants.

KEYWORDS: Aavarai Bhavana Chooranam, Heavy metals, microbial load.**INTRODUCTION**

Plant materials are used throughout developed and developing countries as home remedies, over the counter drug products and raw materials for the pharmaceutical industry, and represent a substantial proportion of the global drug market.^[1] Over the recent times, the popularity of herbal medicine is increased to such an extent that around 20% of world population is now using herbal medicine in different forms for different purposes.^[2] Countries have their own set of laws and regulations for herbal as well as traditional medicines. WHO recommends that each country or area must adopt a regulatory system to manage the appropriate use of herbal medicine.^[3] For the acceptance of these drugs, a minimum level of quality control is required. But when the question of bulk production,

marketing and distribution to the public arises, to ensure uniformity, quality control becomes an imperative need.^[4] Thus, the present study deals with the standardization of Aavarai Bhavana Chooranam (ABC), which is a Siddha classical herbal drug used to treat diseases of Renal calculus, Diabetes etc, as mentioned in Meganivarana bodhini ennum nirizhivu maruthuvam.^[5]

MATERIALS AND METHODS

Procurement and Authentication of Raw Drugs

The drugs were purchased from authorized country raw drug store in Chennai. All the plant materials, *Cassia auriculata*, *Ficus racemosa*, *Terminalia arjuna*, *Phyllanthus emblica*, *Asparagus racemosus*, *Musa paradisiaca*, *Tribulus terrestris*, *Tinospora cordifolia*, *Michelia champaca*, and *Aloe barbadensis* were identified and authenticated by Botanist, National Institute of Siddha, Tambaram Sanatorium, Chennai.

Preparation of Aavarai bhavanai Chooranam

All the ingredients were purified as per the Siddha literature. The seeds of *Cassia auriculata* were soaked and dried each day in the juices of all ingredients. Then the seeds were dried in the shade until complete evaporation of the moisture content. It was finely powdered and purified by Pittaviyal murai then kept in an air tight container. It was labeled as Aavarai bhavanai Chooranam.

Details regarding experiment

Determination of heavy metal analysis

Thermo fisher M series, 650902 VI.27 model Atomic absorption spectrophotometer was used in the determination of heavy metal elements present in DVK Flame technique was used for Lead and Cadmium, various wavelengths were followed for different metals such as Lead (217nm) and Cadmium (228.8nm), for Mercury (253.7nm) and Arsenic (193.7nm) Cold vapor technique and flame vapor technique was used respectively.^[6] The hollow cathode lamp for Pb, Cd, Hg and As analysis were used as light source to provide specific wavelength for the elements to be determined.

Microbial Analysis

Microbial analysis was carried for determination of microbial contamination as per procedures described in Pharmacopoeia of India. Total bacterial count, total fungal count,

identification of specified organisms such as *Escherichia coli*, *Salmonella* sp., *Staphylococcus aureus* and *Enterobacteriaceae* were analyzed.^[8-11]

RESULTS AND OBSERVATIONS

Table 1: Instrumental condition for analysis.

Parameter	Pb	Cd	Hg	As
Wavelength	217 nm	228 nm	253.7 nm	193.7nm
Slit width	0.5 mm	0.5 mm	0.5 mm	0.5 mm
Ligh Source	HCL	HCL	HCL	HCL
Lamp current	4.0 mA	3.0 mA	3.0 mA	6.0 mA
Carrier gas and flow rate	Air and Acetylene & 1.1 L/min	Air and Acetylene & 1.1 L/min	Argon & 1.1 L/min	Acetylene, Argon & 1.1L/min
Flow rate	2 ml/min	2 ml/min	5 ml/min	5ml/min
Technique	Flame	Flame	Cold vapour	Flame vapour

Note: HCL- Hollow Cathode Lamp

Table-4: Analysis of Heavy Metals.

S. No.	Name of the Element	Results	Limits (As per PLIM)
1	Lead	0.0373 ppm	10 ppm
2	Cadmium	Not Detected	0.3 ppm
3	Arsenic	Not Detected	03 ppm
4	Mercury	Not Detected	01 ppm

Table 4.1. Analysis of Microbial Load.

The procedures recommended for analysis of Microbial Load as per WHO, 1998.

S. No.	Parameters	Results	Permissible Limit for Internal use
1	Total Bacterial Count (TBC)	4×10^3 CFU/g	10^5 CFU/g
2	Total Fungal Count (TFC)	Absent	10^3 CFU/g
3	<i>Enterobacteriaceae</i>	Absent	10^3 CFU/g
4	<i>Escherichia coli</i>	Absent	10 CFU/g
5	<i>Salmonella Spp.</i>	Absent	Absent
6	<i>Staphylococcus aureus</i>	Absent	Absent

The daily Per Day exposure limit of Lead in raw herbal materials is 10 ppm as per PLIM guidelines^[12] and WHO recommendations of limits of lead is 10 mg/kg.^[13] The presence of lead is very negligible in *Aavarai bhavanai Chooranam* as compared to the recommended limits. Other toxic metals such as Arsenic, Mercury and Cadmium are in below detectable level. The Total Bacterial Count present in the drug are 3×10^3 CFU/g and the permissible limit in herbal medicines as per WHO is 10^5 CFU, which indicates that TBC is within the

WHO permissible limits. There is no fungi were detected in the drug and the bacteriae Enterobacteriaceae, *E.coli*, *Salmonella Spp* and *Staphylococcus aureus* were also not detected in ABC.

CONCLUSION

Analysis of Heavy metal showed that the only toxic metal found was Lead that too was within WHO permissible limits. Microbial load analysis showed that Total Bacterial Count was present within the WHO permissible limit and Fungi Enterobacteriaceae, *E.coli*, *Salmonella Spp* and *Staphylococcus aureus* was absent. So, it can be considered that the drug is not contaminated with any toxic or microbial contaminants.

ACKNOWLEDGMENTS

Authors are thankful to Director, National Institute of Siddha for providing infrastructural support and all the faculties of Department of Gunapadam for their valuable suggestions for this study.

Conflict of interest

Authors declare that there is no conflict of interest.

REFERENCES

1. World Health Organization (W.H.O.), Organization Mondiale De La Sante, Quality control methods for plant materials, 559, Rev.1, Original English, 1998; 8 - 67.
2. S. Bent, "Herbal medicine in the United States: review of efficacy, safety, and regulation: grand rounds at University of California, San Francisco Medical Center" *Journal of General Internal Medicine*, 2008; 23(6): 854–859.
3. Verma N. Herbal medicines: Regulation and practice in Europe, United States and India. *International Journal of Herbal Medicine* [Online]. 2013 [cited 2018, May 24]; 1(4): 1-5.
4. Saraswathy A. Standardisation of siddha drugs. *Anc Sci Life*, 1994 Jul; 14(1-2): 53-60. PMID: 22556676; PMCID: PMC3336489
5. Hakeem.P.M.Abdullah sahib. Meganivarana Bodhini Ennum Nirizhivu Maruthuvam 3rd Edition. Published by Department of Indian Medicine and Homoeopathy.
6. Horwitz W, Latimer G. Official Methods of Analysis of AOAC International, AOAC International, Maryland; 18th ed., 2005; 10: 17-23.
7. Pharmacopoeia of India, (Ministry of Health and Family Welfare, Government of India, New Delhi), 1996; Vol-II: A-72-74, 100-125.

8. British Pharmacopoeia, (Department of Health and Social Services for Northern Ireland), 1998; Vol. II, A-XV1B, A 243-248.
9. Pawar C B & Dagainawala R S F, *General Microbiology*, (Himalaya Publishing House, Mumbai), 1982; Vol. II, 2nd ed. 444-467.
10. Buchanan R E & Gibbons N E, *Bergeys Manual of Determinative Microbiology*, 8th ed., 1974; 498.
11. Protocol for testing Ayurvedic, Siddha and Unani medicines, Pharmacopoeial Laboratory for Indian Medicines, Ghaziabad, Department of Ayush, Ministry of Health and Family welfare, Government of India.
12. World Health Organization. (2007). WHO guidelines for assessing quality of herbal medicines with reference to contaminants and residues. World Health Organization. <https://apps.who.int/iris/handle/10665/43510>