

WORLD JOURNAL OF PHARMACEUTICAL RESEARCH

SJIF Impact Factor 8.074

Volume 7, Issue 8, 822-826.

Research Article

ISSN 2277-7105

A CONCEPTUAL STUDY OF HARITAKYADI GHRITA (TERMINALIA CHEBULA FORMULATION) IN GERIATRICS HAVING VATAJ HRIDROGA (HEART DISEASE)

Dr. Minaj Kulkarni* and Dr. S. M. Vedpathak

Asso. Prof. Dept. of Panchakarma, Bharati Vidyapeeth (Deemed to be University), College of Ayurved, Pune-43.

Article Received on 21 February 2018,

Revised on 13 March 2018, Accepted on 04 April 2018,

DOI: 10.20959/wjpr20188-11846

*Corresponding Author Dr. Minaj Kulkarni

Asso. Prof. Dept. of Panchakarma, Bharati Vidyapeeth (Deemed to be University), College of Ayurved, Pune-43.

ABSTRACT

Hridroga (heart disease) is the important disease described in Ayurveda. Vataj Hridroga is one of the type of Hridroga Vyadhi. Hritshunya Bhava, Hrit-Shosha, Bheda and Stambha, Moha-Murccha are the symptoms of Vataj Hridroga. It is mainly due to the vitiation of Vata. Shaman Chikitsa is the best remedy for better management of Vataj Hridroga. As it is Vatapradhan, Shodhan is contraindicated. Acharya Charak mentioned Paan of Haritakyadi Ghrita prepared with the Kalka of Haritaki, Shunthi, Pushkarmula, Vayastha, Kayastha, Saindhav and Hingu in Vataj Hridroga. Materials -used to be Classical literature regarding Vataj Hridroga and Haritakyadi Ghritapaan from Charak Samhita. Methods- Drugs used for preparation of Haritakyadi

Ghrita from Bhavaprakasha Nighantu. **Observations**- Literature regarding Nidana, Samprapti, Rupa of Vataj Hridroga, Haritakyadi Ghritapaan and drugs. **Conclusion**- Haritakyadi Ghritapaan is effective treatment of Vataj Hridroga. This Yog can be used in the management of Vataj Hridroga.

KEYWORDS: *Vataj Hridroga, Haritakyadi Ghritapaan.*

INTRODUCTION

Hridaya (Heart) is a vital part of all human beings. Its proper functioning is the indicator of overall health and well-being. Hridroga (heart disease) has been mentioned under the "*Trimarmeeya Chikitsa Adhyay*" by *Acharya Charaka* (Ca.Ch.26/78). There are total 107 *Marmas* mentioned by *Acharya Charaka* in *Sharirsthan* (Ca.Sh.7/14). These are divided into

Mamsamarma, Siramarma, Snayumarma, Asthimaram and Sandhimaram. Out of these Hridaya is considered as a Siramarma. As it is a Marma, the disease produced in this region is considered as a "Prananashak". Hence it is very important to take care about the normal functioning of Hridaya.

Ativyayam, Teekshna Aahar, Ativirechan or Basti Upakrama, Chinta, Bhaya, Trasa (frightening), Chikitsa Mithyayoga, Atyadhik Chardi, Aamdosha, Dharan of Adharneeya Vega, Krushatajanya Aahar Sevan, Aaghat on Hridaya region are the causative factors for Hridroga Vyadhi (Ch.Su.17/30-40).

Vaivarnya, Murccha, Jwara, Kasa, Hikka, Shwas, Aasyavairasya, Trushna, Moha, Chardi, Kaphotklesha, Hrut-Vedana, Aruchi are the common symptoms of Hridroga Vyadhi (Ch.Chi.26/78).

It is mainly due to the vitiation of *Vata Dosha*. According to *Acharya Sushruta*, he considered old age 70 years above whereas *Acharya Charaka*, has considered old age 60 years above. In this age, because of the predominance of *Vata Dosha* and diminished *Kapha*, the symptoms of *Vataj Hridroga* are produced Viz: *Hritshunya Bhava*, *Hrit-Shosha*, *Bheda* and *Stambha*, *Moha-Murccha*. (Ch.Chi.26/78).

Ayurvedic treatment of diseases in general can be broadly divided into *Shodhan* and *Shaman Chikitsa*. *Acharya Charak* has mentioned the *Chikitsa* of *Vataj Hridroga* as *Paan* and *Abhynga* of *Amla Dravya Siddha Tail* or *Punarnavadi Tail* (Ch. Ch.26/81,82).

He also mentions the *Haritakyadi Ghritapaan* in the symptoms of *Vataj Hridroga* (Ch. Ch.26/83). The medicines used in the form of *Kalka* for the preparation of *Grita* are *Haritaki*, *Shunthi*, *Pushkarmula*, *Vayastha* (*Guduchi*), *Kayastha* (*Aamalaki*), *Saindhay* and *Hingu*.

AIM AND OBJECTIVES

- 1. Literary study about Vataj Hridroga Vyadhi and Gritapaan in Shaman Matra.
- 2. Literary study about Yoga of Haritakyadi Grita.
- 3. Literary study about the effect of *Haritakyadi Gritapaan* in *Vataj Hridroga*.

MATERIALS AND METHODS

1. Literary Review of *Vataj Hridroga i.e. Nidana*, and *Rupa* was studied from *Charak Samhita*.

- 2. Review of Drugs used in *Haritakyadi Grita* i.e. Properties and *Karmukta* of each drugs was studied from *Charak Samhita* and *Bhavprakash Nighantu*
- 3. Collection of all the references was done and correlation between the data was done by using *Yukti Pramana* (logical inferences).

OBSERVATIONS

In Literary Review we observed following observations:

1) Nidana & Samprapti of 'Vataj Hridroga'

Ativyayam, Teekshna Aahar, Atiyog of Virechan and Basti Upakrama, Chinta, Bhaya, Trasa (frightening), Atyadhik Chardi, Aamdosha, Dharan of Adharneeya Vega, Krushatajanya Aahar Sevan, Aaghat on Hridaya region are the causative factors for Hridroga Vyadhi (Ch.Su.17/30-40). Due to these factors Vata gets vitiated and accumulate at Hrit region.

2) Rupa (Symptoms and Signs

Hritshunya Bhava, Hrit-Shosha, Bheda and Stambha, Moha-Murccha are the symptoms of Vataj Hridroga (Ch.Chi.26/78).

3) Gritapaana (Snehapaan) Procedure Review

The process in which *Sneha* is ingested internally is called as *Snehapaan*. When *Sneha* is given for *Rogashamanartha* then it is called as *Shaman Sneha*. It is given before meal. *Ghrita* is one type of *Uttam Sneha*. It acts on *Pitta* and *Vaat Dosha*. It also acts as a *Vayasthapan*. (Ch. Su. 13/41-43). *Sushrutacharya* mentions that *Ghrit* can be given in *Vatapitta Pradhan* disease and as a *Vayasthapan* in old age. (Su. Ch.31/15).

4) Drug Review: *Charak* has mentioned *Haritakyadi Ghritapana* is the best treatment modality for *Vataj Hridroga*. Drugs used in this *Yoga* are *Haritaki*, *Shunthi*, *Pushkarmula*, *Guduchi*, *Aamalaki*, *Saindhav and Hingu*.

PROPERTIES OF EACH DRUG

Properties of *Haritaki* (Terminalia Chebula)

Haritaki is Pancharasatmak having Madhur, Amla, Katu, Kashay and Tikta Rasa. It acts as Tridoshashamak. It is Agnideepak, Medhya, Rasayani and Anulomak. It acts on Shwas, Kasa, Prameha, Arsha, Kushtha, Shotha, Udar, Krimi, Grahanee, Vishamjwara, Gulma, Aadhman, Trushna, Chardi, Hikka, Kandu, **Hridroga**, Kamala, Shula, Aanah, Pleeha, Yakruta, Ashmari, Mutrakruccha and Mutraghat (Bh.P.N.Haritakyadivarg 1/19-22).

Properties of Shunthi (Gingiber Officinalis)

Shunthi is Katu Rasatmak, Snigdha, Madhur Vipaki and Kapha- Vata Shamak. It acts on Vibandha, Chardi, Shwas, Shula, Kasa, **Hridroga**, Shleepad, Shotha, Arsha and Aanah (Bh.P.N. Haritakyadivarg 1/44-48).

Properties of *Pushkarmula* (Indula Racemosa)

It is Katu-Tikta Rasatmak, Ushna, Anulomak, Mutrajanan, Shothaghna, Vranaropak, Virechak and Vamak. It acts on Shwas, Kasa, Parshwashula, Aruchi, (Bh.P.N.Haritakyadivarg 1/174).

Properties of Vayastha (Guduchi) (Tinospora Cordifolia)

It is Katu, Tikta and Kashay Rasatmak, Madhur Vipaki, **Rasayan**, Sangrahi, Balakarak, Agnideepak. It acts on Tridosh, Aamsanchiti, Daha, Meha, Kasa, Pandu, Kamala, Kushtha, Vatarakta, Jwara, Krimi, Arsha, Mutrakruccha and **Hridroga** (Bh.P.N.Guduchyadivarg 8-10).

Properties of Kayastha (Aamalaki) (Emblika Officinalis)

It is Amla, Madhur and Kashay Rasatmak and Tridoshashamak. Dry Aamalaki is Grahee, Sheetal, Deepan, and Raktastravrodhak, Smriti-Medha-Kanti Vriddhikar. It acts on Shwas, Kasa, Kshay, Pandu and Agnimandya. (Bh.P.N.Haritakyadivarg 1/39-41).

Properties of Saindhav (Rock Salt)

Saindhav is Sukshma, Laghu and Snigdha. It is Agnideepak, Pachak, Ruchivardhak, Netrya and Tridoshashamak. (Bh.P.N.Haritakyadivarg 1/241).

Properties of Hingu (Ferula Northax)

It is *Teekshna*, *Pachak* and *Vata- Kapha Shamak*. It acts on *Shula*, *Gulma*, *Aanah*, *Udargata Vyadhi* and *Krimi*. (*Bh.P.N.Haritakyadivarg 1/100-101*).

DISCUSSION

Vataprakopakara Aaharaj and Viharaja Nidana like Ativyayam, Teekshna Aahar,
 Virechan or Basti Atiyog, Chinta, Bhaya, Trasa (frightening), Chikitsa Mithyayoga,
 Atyadhik Chardi, Aamdosha, Dharan of Adharneeya Vega, Krushatajanya Aahar Sevan,
 Aaghat on Hridaya region are responsible factors for Vataprakopa and production of

- Rukshatwa in Hriday region. These Nidanas are also responsible for Dushti of Rasa Dhatu and Sadhak Pitta which plays major role in pathogenesis of Vataj Hridroga.
- Shaman Sneha (Gritapaan) –In Vataj Hridroga vitiation of Vata dosha is the main criteria. The vitiated Vata merges with Sadhak Pitta and produce Symptoms of Vataj Hridroga. Ghritapaan is beneficial for Vata dosha and also for Pitta Dosha. Ghritapana softens the Rukshatwa of Vata dosha. (Ch.Su.25/40). In Vata Upakrama Snehan (Abhyntar and Bahyya) is advised. (A.H.Su.U.13/1). By Ghritapana, Vata & it's different varieties are gets normalize. (Ch.Su.20/16). As Hridaya is a Sthan of Sadhak Pitta, it also gets normalized by the use of Ghrita. Shaman Sneha can be given in geriatrics which subsides the vitiated Vata.
- Haritakyadi Ghrita Karmuktwa- Charakacharya stated that, in Vataj Hridroga Haritakyadi
 Ghrita should be used as a Shaman Sneha. The drugs used in this Ghrit are Haritaki,
 Shunthi, Pushkarmula, Vayastha, Kayastha, Saindhav and Hingu having the properties
 like Tridoshahara, Hridya, Sara, Sukshama and Snigdha,. Due to these properties vitiated
 Doshas gets normalised.
- When Doshas get normalized there is Lakshanopshay in Vataj Hridroga Vyadhi.

CONCLUSION

- 1) Haritakyadi Ghritpaan can be safely used in geriatrics.
- 2) The reduction in signs and symptoms of *Vataj Hridroga* can be achieved by *Haritakyadi Ghrit* as a *Shaman Sneha*.

REFERENCES

- 1. Shastri Kashinatha and Chaturvedi Gorakhnatha, Charaka Samhita Chaukhambha Bharati Academy, Part I, Varanasi, 2006.(reprint).
- 2. Murthy K.R. Srikantha. Ashtanga Samgraha Chaukhamba Orientalia, Varanasi, First edition, 1996; 2.
- 3. Pt. Hari Sadasiva Shastri Paradakara Bhisagacharya: Astangahridaya with Sarvangasundara & Ayurved Rasayana commentary, Chaukambha Surbharati Prakshan, Varanasi, 2011.
- 4. Kaviraj Dr.Ambikadatta Shastri. Sushruta Samhita (Purvardha) Choukhambha Sanskrit Sansthan. Post. Box no. 1139. Varanasi 221001.
- 5. Dr. Krushnachandra Chunekar. Bhavprakash Nighantu. Chaukambha Bharati Akadami. Post box no. 1065. Varanasi-221001.