

WORLD JOURNAL OF PHARMACEUTICAL RESEARCH

SJIF Impact Factor 8.074

Volume 8, Issue 6, 493-501.

Review Article

ISSN 2277-7105

493

A REVIEW ON *VICHARCHIKA* FROM AYURVEDIC & WESTERN PERSPECTIVES WSR TO ECZEMA

Dr. Munish Kumar *1 and Dr. Yamini Jukaria 2

¹Assistant Professor Department of Agadtantra and Vidhi Vaidyak, Bharat Ayurvedic Medical College, Muzaffarnagar(UP).

²Assistant Professor Department of Shalakya Tantra, Bharat Ayurvedic Medical College, Muzaffarnagar(UP).

Article Received on 11 March 2019,

Revised on 01 April 2019, Accepted on 22 April 2019,

DOI: 10.20959/wjpr20196-14917

*Corresponding Author Dr. Munish Kumar

Assistant Professor
Department of Agadtantra
and Vidhi Vaidyak, Bharat
Ayurvedic Medical College,
Muzaffarnagar(UP).

ABSTRACT

Skin is one of the five 'Gyanindriyas' as described in Ayurvedic texts. It is responsible for 'Sparsh Gyan' or touch sensation, therefore it plays a great role in physical and mental well being of any individual. It is the largest organ of the body which is exposed to external environment. It protects the internal organs from physical, chemical, mechanical and biological injuries. Any injury or disease in the skin becomes a great problem for a person because it is visible for all. The protective ability however may not always be able to deal with the environmental stimulus and this leads to the production of skin diseases. The protective ability of an individual is influenced by a variety of factors which include genetic factors, nutritional

deficiencies, poor hygiene, overcrowding, other diseases and intake of certain drugs. Ayurveda has also described various factors which can cause skin diseases. There are so many diseases which do not kill, but create physical impairment along with psychological stress and strain. *Vicharchika* is one of them, which is one of the varieties of *Kshudra Kushtha*. *Vicharchika* has been compared with the modern disease Eczema by many authors. The clinical presentation of *Vicharchika* similar to Eczema in modern dermatology. The modern science has greatly advanced, particularly in dermatology but there is no specific medicaments for sure cure of eczema but symptomatic treatments like steroids are used, but they produce serious side effects like nephrotoxicity, osteoporosis, skin cancer etc. Ayurveda offers treatment for the root of eczema by cleansing vitiated *Dosha* and balancing the *Dosha* and *Dhatus*.

KEYWORDS: *Vicharchika*, Eczema, *Kshudra Kushtha*.

INTRODUCTION

Skin is a significant and most visible organ of our body. It has many important functions like it protects the internal organs from infectious organisms, chemical & mechanical injuries etc. These various invectives are the origin of many of the dermatosis i.e. eczema or dermatitis. Major of the skin disease are not fatal but create comparatively abundant stress and strain to the patient. Another reason for the skin diseases being more painful and irritant and some of them are contagious. Skin diseases are haunting mankind since ages past. Skin disease produces both psychological and physical discomfort due to tarnished skin. Different studies also recommend that skin infections are more prevalent in extreme climatic conditions. Most skin infections transmit through contact.^[1]

AIMS & OBJECTIVES:

- ❖ To review the concept of *Vicharchika* as per *Ayurvedic* classics.
- ❖ To review the the concept of Eczema as per western perspectives.

MATERIAL AND METHODS

The whole article is based on literary review collected from classical *Ayurvedic* texts, modern books and journals. The text from *Brihattrayee* i.e. *Charaka Samhita*, *Sushruta Samhita*, *Ashtanga Hridaya* and their respective commentaries is Sanskrit as well as Hindi have been referred for this literary work.

DISEASE REVIEW

Vicharchika: An Ayurvedic Perspective

In *Ayurvedic* literature Eczema is considered to be a type of *kustha*, which is a disease of skin. Eczema is broadly considered to be specific type of *kustha* known as *Vicharchika*, a skin condition with a complex pathology, varying presentations and numerous treatment within the literature of *Ayurveda*. *Vicharchika* can most certainly be correlated with modern interpretation of eczema and atrophic dermatitis.

Nirukti of Vicharchika

According to *Acharya Charaka* "Sa Kandu Pidika Shyava Bahu Srava Vicharchika" (Ch.chi.7/26)^[2] i.e. The skin disease where eruptions over the skin appear with dark pigmentation, itching with profuse discharge from the lesion.

According to Acharya Sushruta "Rajyo Atikandu Atiruja Sa Ruksha Bhavanti Gatreshu Vicharchikavam" (Su.Ni.5/13)[3] i.e. condition in which skin is dry with severe itching and marked linings present is Vicharchika.

Nidana of Vicharchika^[4]

- Intake of incompatible foods & drinks.
- Excessive use of Dadhi, Matsya, Amla & Lavana.
- Excessive use Tila, Ksheera & Guda.
- Intake of food that would cause burning sensation.
- Intake of Food during indigestion.
- Adhyasana.
- Intake of polluted water.
- Withholding of natural urges.
- Improper administration of Snehapana.
- Improper method of Administering Panchkarma.

Samprapti of Vicharchika^[5]

In Ayurvedic literature samprapti described for kustha in general, is taken as follow Vicharchika also.

According to Charak Samhita due to various Nidana sevana, Tridosha gets vitiated simultaneously & produces shaithilya in the Twak, Mamsa, Rakta & Ambu. Then Tridosha gets seated in Shithila Dhatu & vitiating them with lakshnotpatti of Kustha Roga.

Purvaroopa of Vicharchika(Prodromal stage)^[6]

There is no specific mention of *Purvaroopa* of *Vicharchika*, but *Purvaroopa* of *Kustha* as a whole are given in many Samhitas which are applicable to Vicharchika.

According to *Acharya Charka* the prodromal symptoms include:

- Atiswedanam(Excessive perspiration)
- Aswedanam(No perspiration)
- Vaivarnyam(Deranged complexion)
- *Kandu*(Itching)
- Suptata(Numbness)
- Lomharsha

- Paridaha
- Shawyathu
- Nistoda etc.

Roopa (Symptoms) of Vicharchika^[7]

In *Ayurvedic* literature *Vicharchika* is characterized by the following symptoms, which corresponds with commonly known symptoms of eczema:

- Bahu- sraava (profuse discharge)
- Ati Kandu (Excessive itching)
- *Shyava* (Blackish discolouration)
- *Pidika* (Creates inflammation & redness)
- Ruja (Pain due to chronic nature of disease)
- Paaka(Infection & purulent discharge)
- Vrana (Ulcerated lesion)
- Raji (Linings)

Eczema: Western Perspective^[8]

Definition

Eczema is a noncontagious inflammation of the skin characterized by erythema, scaling, oedema, vesiculatios, oozing and later lichenification. (P.N.Behl Practice of Dermatology 1998)

Etiology of Eczema

Hypersenstivity is the main cause of eczema. General predisposing causes of eczema are as follows:

S.NO.	CAUSE	EXAMPLES	
1.	Age	Infancy, puberty, menopause	
2.	Familial	Familial sensitiveness is an important factor. Personal or	
۷.	predisposition	family history of allergy is found	
	Allergy	Like Asthma, hay fever etc, Genetic predisposition are	
3.		responsible for the preponderance of eczema in certain	
		families and their absence in others	
4.	Climate	Extreme of climate like heat, dampness, or severe cold	
4.		trigger the onset of eczema.	
5.	Local factors	7 7 7 7 7 7	
6.	Chemicals		
7.	Cosmetics	Powders, lipsticks, hair dye, creams, perfumes. etc	
8.	Medicaments	edicaments Topical applications, inhalations, systemic application like	

		sulphonamides, penicillin, arsenic etc.
9.	Infection Streptococci, staphylococci, dermatophytes and yeast organism	
10.	10. Focal sepsis Internal septic focus shedding toxins or causing bacteraemia	

Classification of Eczema^[9]

Depending upon the causative or provocative factors, the eczema has been classified mainly in two groups i.e. exogenous and endogenous eczema.

* Exogenous Eczema

An external cause for the eczema is identifiable and when this is removed, eczema does not recur such as:

- Irritant dermatitis
- Allergic contact dermatitis
- Infective dermatitis
- Photo-allergic contact dermatitis
- Eczematous dermatophytosis.
- Eczematous polymorphic light eruptions
- Dermatophytide

* Endogenous Eczema

An internal cause or an inherent property of the skin is responsible for the occurrence of eczema, such as:

- Atopic eczema
- Seborrhoeic dermatitis and pityrosporum folliculitis
- Seborrhoeic dermatitis of infancy
- Asteatotic eczema
- Nummular eczema
- Dry discoid eczema
- Exudative discoid and lichanoid dermatitis
- Chronic superficial scaly dermatitis
- Pityriasis alba
- Gravitational eczema
- Juvenile planter dermatosis

- Pompholyx
- Chronic acral dermatitis

Symptoms of Eczema

A) Exogenous Dermatitis

- Typical eczematous lesion varying from erythema to violent, vesiculation, pustulation, oozing and crusting.
- Accompanied by market itching.
- The sticky sep of plants containing phenolic oil resin or plant derived antigen substance are usually responsible.
- Usually occurs on exposed part.

B) Endogenous Eczema

- Pruritus and scratching
- Coarse marked, by exacerbation and remissions.
- Lesions typical of eczematous dermatitis
- Positive family history or personal history of allergy.
- Clinical coarse lasting longer than six week.

Comparative aspects of Vicharchika and Eczema

S.NO.	Vicharchika	Eczema	
(I)	Rupa	Sign & Symptoms	
1.	Pidika	Papule	
2.	Pidika-Sarga Shopha (Ca.su.18/24)	Inflammation with marked	
		reddening	
3.	Pidika-Kustha Rogadhikare	Vesicles	
	Pidadayake Kshudrasphotka		
4.	Kandu	Itching	
5.	Srava-Lasikadhya	Oozing Serum	
6.	Raji	Linear markings (Lichenification	
7.	Paka	Pustules	
8.	Vrana	Ulcer	
9.	Vrana-Lohita	Reddening (Acute Stage)Hyper	
9.	Vrana-Lonna	pigmentation (Chronic Stage)	
(II)	Bheda	Types	
1.	Ruksha (Vatic)	Dry Eczema	
2.	Sravi (Paitika or kaphaja)	Wet Eczema	

498

Line of Ttreatment

A) Ayurvedic Perspective

In general it is an accepted fact that the skin diseases are time consuming as far as the treatment is concerned i.e. not easily cured, longstanding & requires patience in treatment.

- Acharya Sushruta has explained that the treatment of Vicharchika should carried out like that of Kushtha(Su.Chi 20/18)^[10]
- Also in *Sushruta Uttartantra Acahrya* has mentioned that "*Sanksheptah Kriyayogo Nidana Parivarjanam*" i.e. the first step for treatment is avoiding the *Nidana* factors.
- According to Acharya Charka^[11]
- ➤ Vata predominat Kushtha : Ghee is indicated
- > Pitta predominat Kushtha: Virechana followed by Raktamokshna
- ➤ Kapha predominat Kushtha : Vamana is indicated
- Acharyas have advocated for Shodhana therapy before the Shamana treatment for Kushtha.
- Lepa, Parisheka, Avachurana, Avagahana and Dhuma have been mentioned in the management of all types of Kushtha.
- Charaka has mentioned use of Gandhaka in the treatment of Kushtha.
- Karanja Taila, Devdarvyadi Taila, Lakshadi Taila, Musta Taila, Laghu and Mahamarichayadi Taila, Tikta Ghrita, Neela Ghrita etc.are used.

• Shamana Chikitsa

When a full *Shodhana chikitsa* is not feasible due to weakened *Ojas*, or concerned regarding patient compliance then *Vicharchika* treated by *Shamna Chikitsa*.

- B) Western Perspective: General line of treatment consists of the following steps^[12]
- Elimination of causative factors and correction of environment.
- Palliative treatment must be carried out to effect a complete cure.
- > Systemic therapy: They can provide symptomatic relief only.
- ACTH and corticosteroids
- Antihistaminics
- Calcium gluconate and strontium bromide
- Antibiotics in infective eczema
- General tonics and multivitamins.

> Local treatment

- Weeping eczema react well to astringent like lotion silver nitrate 0.5 1% in aquous solution.
- Infective eczema, crusts are removed with condy's fluid and then silver nitrate lotion or lotio gentian voilet 0.5 - 1% in aquous solution. A potassium permanganate solution 1:4000 is also useful.
- In chronic eczema steroid and other allied local preparations, crude tar and superficial x ray therapy may be helpful

CONCLUSION

The skin is the outside boundary between outside world and ourselves. It is also a direct representation of health and disease between us. When we are healthy mentally and physically, our skin glows, and conversely without health our skin lacks luster shows our imbalance. Whether called eczema, atopic dermatitis or *Vicharchika* this condition greatly effects the quality of life of individual. It is a complex disease, stemming from deep imbalances. An awareness of all aspects of disease both from the western and *Ayurvedic* approach provide a basis of understanding that will assist the sufferer move towards a state free of disease —a state of health.

REFERENCES

- 1. Richard B. Odom, William D. James, Timothy G. Berger, Andrews' Diseases of the Skin: Clinical Dermatology Co; 9th edition, 2000.
- 2. Charaksamhita chikitsasthan hindi commentary by Dr. Brahmanand Tripathi Chaukhambha publication varansi reprint, 2009; 7/26: 305.
- 3. Sushrut samhita Nidansthan, Hindi commentary by Kaviraj Ambikadatta Shastri, Chaukhambha publication Varansi, reprint in, 2012; 5/13: 322.
- 4. Charaksamhita chikitsasthan hindi commentary by Pandit kashinath shastri Chaukhambha publication varansi reprint, 2011; 7/4 8: 248.
- 5. Charaksamhita chikitsasthan Hindi commentary by Pandit kashinathshastri Chaukhambha publication varansi reprint, 2011; 7/9 10: 250.
- 6. Charaksamhita chikitsasthan Hindi commentary by Pandit kashinath shastri, Chaukhambha publication varansi reprint, 2011; 7/12: 249.
- 7. Charaksamhita chikitsasthan hindi commentary by Pandit kashinath shastri Chaukhambha publication varansi reprint, 2011; 7/26: 252.

- 8. Kasper: Harrison's Principles of Internal Medicine. 16th edition. McGraw Hill Medical Publishing Divison: New Delhi, 2004; 289.
- 9. Eczema and dermatitis, Assistant Prof. Dr. Khudair K. Al.Kayalli, College of medicine Diyala University.
- 10. Sushrut samhita, chikitsasthan, Hindi commentary by Kaviraj Ambikadatta shastri, Chaukhambha publication Varansi, reprint in, 2012; 20/18: 116.
- 11. Charaksamhita chikitsasthan Hindi commentary by Pandit kashinathshastri Chaukhambha publication varansi reprint, 2011; 7/39: 255.
- 12. S.L. Chamlin, Jao K.et al, "Ceramide dominant Barrier Repair Lipid alleviates childhood Atopic dermatitis: Change in barrier function provide a sensitive indicator of disease Activity "Journal of American Academy of Dermatology", August 2002; 198.s.