

## EVALUATION OF SKELETAL MUSCLE ACTIVITY OF *COFFEA ARABICA* SEEDS EXTRACT ON ISOLATED FROG'S RECTUS ABDOMINUS MUSCLE

Shravan Kumar Dholi\*

Associate Professor, Department of Pharmacology, Vaageswari College of Pharmacy,  
Ramakrishna Colony, Karimnagar, Telangana, India.

Article Received on  
19 June 2019,

Revised on 09 July 2019,  
Accepted on 30 July 2019,

DOI: 10.20959/wjpr20199-15617

### \*Corresponding Author

Shravan Kumar Dholi

Associate Professor,  
Department of  
Pharmacology, Vaageswari  
College of Pharmacy,  
Ramakrishna Colony,  
Karimnagar, Telangana,  
India.

### ABSTRACT

Skeletal muscle activity of *Coffea arabica* seeds extract was studied in the green frog (*Rana hexadactyla*) by the rectus abdominus muscle preparation. *Coffea arabica* seeds extract with distilled water 1µg/ml, 10µg/ml and 100µg/ml concentrations. The result indicated that the treatment of *Coffea arabica* seeds extract alone and combination with acetylcholine produce skeletal muscle activity. Thus from the present study it was concluded that *Coffea arabica* seeds extract have good skeletal muscle activity alone and in combination with Acetylcholine.

**KEYWORDS:** *Skeletal muscle activity, Coffea arabica, Rana hexadactyla, Acetylcholine.*

### INTRODUCTION

Coffee is a brewed drink which is prepared from roasted and grinded coffee beans with or without the addition of water, milk, sugar and other ingredients. Coffee beans or seeds are obtained from coffee berries, which grow in coffee plants. Coffee plants are ever-green small shrubs that are native to Asia and Africa.

Different species of coffee plants are available, out of which *Coffea robusta*, *Coffea arabica* and *Coffea liberica* enjoys economic importance. Out of the three, in southern part of India, *Coffea arabica* is cultivated. *Coffea robusta* is also cultivated in India but cultivation of *Coffea liberica* hasn't been so much popular since it gets too much affected by diseases. *Coffea robusta* yields lower quality beans than *Coffea arabica*, which is known for best quality coffee beans.<sup>[1]</sup>

Top ten coffee producing countries are Brazil, Vietnam, Colombia, Indonesia, India, Ethiopia, Mexico, Guatemala, Honduras and Peru. The names of countries are listed in descending order according to coffee production, i.e., Brazil is the leading coffee producing country and India ranks fifth in coffee production.<sup>[2]</sup>

Recent research was done on the plant extracts by using animal model shows good medicinal significance alone and in combination with allopathic drugs. So here I plan to evaluate the effect of coffee seeds extract on skeletal muscle contraction by using the isolated Frog rectus abdominus muscle preparation.<sup>[3-8]</sup>

## **MATERIALS AND METHODOLOGY**

### **COLLECTION OF PLANT MATERIAL & PREPARATION OF PLANT EXTRACT**

The coffee plant seeds were purchased at coffee museum, Araku, Andhrapradesh. The plant extracts were prepared by mixing 100 g of dry seeds powder with 100 ml water (aqueous) and this was left to stand for 16 hours {powdered fresh plant dry seeds using a mixy before extraction}. After 16 hours the soaked extracts were then be filtered through a fine cloth and centrifuged at 600 rpm for 10 minutes to produce 100% (neat) extract. 50% seeds extract was prepared by mixing one part neat extract with one part distilled water and 25% mixed at the ratio of 1 part neat extract to 3 parts distilled water.<sup>[9]</sup>



**Image No.1: Coffee plant seeds.**

## EFFECT OF *COFFEA ARABICA* SEEDS EXTRACT (CSE) ON THE SKELETAL MUSCLE OF THE FROG

This experiment was attempted to assess the effect of Hibiscus leaves extracts on the frog rectus abdominis muscle preparation. The experiment was carried as per method described by Kulkarni (The text book of experimental pharmacology).

Frogs weighing 20-25 gm were used in this study. The frog was stunned and decapitated and the spinal cord was destroyed. A frog was pithed and the skin of the anterior and abdominal wall was cut by a midline incision and then it was cut laterally to expose the anterior abdominal wall. The two rectus muscle were seen running from the base of sternum. The muscles were cut across just above the sternum at its base and the pair of muscles attached to it were dissected and transferred to a dish containing frog ringer solution at room temperature. The muscles were then carefully cleaned and one of them was trimmed to the desired size and mounted in an organ bath filled with ringer solution at room temperature and aerated by stream of fine bubbles emerging near the bottom of the bath. Isotonic contractions were recorded using gimbel lever with a sideways writing point. The lever was balanced for a tension of approximately 2-5 gm. An extra load of approximately 1gm on the long arm was supplied because some time the lever may not return to the base line after washing. The drug period allowed for stabilization was 30 min during which the muscle was subjected to 1gm stretch. At 0th min – the kymograph was started after raising the extra load; in the 1st min – the drug was added and in the 2nd min - the kymograph was stopped. The tissue was washed and allowed to relax by applying an extra load. At the 5th min- the lever point was brought to the base line and the next cycle was started. After recording the graded responses to different long dose of acetylcholine, the *Coffea arabica* seeds extract was added and their effect upon acetylcholine induced contraction as well as the effect of its own in the tissue was studied.<sup>[10-</sup>

14]

## RESULTS

**Table 1: Skeletal muscle activity of Acetylcholine, d-tubocuraine, CSE, Acetylcholine+CSE.**

S.NO	DRUG	DOSE ( $\mu\text{g/ml}$ )	HEIGHT (mm)	RESPONSE
1	Acetylcholine	1	3	Increased
2	Acetylcholine	2	6	Increased
3	Acetylcholine	4	8	Increased
4	Acetylcholine	8	9	Increased
5	Acetylcholine	16	13	Increased
6	d-tubocuraine	4	-	-
7	CSE	1	3	Increased
8	CSE	10	8	Increased
9	CSE	100	10	Increased
13	Acetylcholine + CSE	1	6	Increased
14	Acetylcholine + CSE	1	10	Increased
15	Acetylcholine + CSE	1 100	12	Increased

## DISCUSSION

The *Coffea arabica* seeds extract was found to have skeletal muscle activity with the concentration of  $1\mu\text{g/ml}$ ,  $10\mu\text{g/ml}$ , and  $100\mu\text{g/ml}$ .

When the activity was compared between the standard drug i.e, Acetylcholine and test drugs *Coffea arabica* seeds extract. The activity of the standard drug is more compare to test drugs and it is above reach with the standard drug.

The skeletal muscle activity was evaluated first by the acetylcholine of different doses like  $1\mu\text{g/ml}$ ,  $2\mu\text{g/ml}$ ,  $4\mu\text{g/ml}$ ,  $8\mu\text{g/ml}$  and  $16\mu\text{g/ml}$  and with d-tubocuraine of dose about  $4\mu\text{g/ml}$ . The acetylcholine were activity by increasing the dose response whereas, the drug d-tubocuraine has shown no effect and no action it neither contraction nor depolarization because it inhibits muscular contraction by the application of acetylcholine.

Then skeletal muscle activity is evaluated by using test drugs *Coffea arabica* seeds extract of using different doses like  $1\mu\text{g/ml}$ ,  $10\mu\text{g/ml}$  and  $100\mu\text{g/ml}$ . For both the test drugs the response have been increased.

Thus, the present investigation proves that *Coffea arabica* seeds extract were have good skeletal muscle activity alone and combination with acetylcholine and it produces the significant skeletal muscle activity at high concentration.

## CONCLUSION

The *Coffea arabica* seeds extract was found to good skeletal muscle activity with different concentrations. When the activity was compared between the standard drug i.e, acetylcholine and test drugs *Coffea arabica* seeds extract. The activity of the standard drug is more compare to test drugs.

The skeletal muscle activity is evaluated by using test drugs Hibiscus leaves extract of using different doses like 1 g/ml, 10 g/ml and 100 g/ml. for both the tests drugs the response have been increased. The effect of acetylcholine and *Coffea arabica* seeds extract (CSE) were compared and the results show the more active response with the acetylcholine rather than the *Coffea arabica* seeds extract (CSE).

This study finally concluded that the effect of *Coffea arabica* seeds extract (CSE) and combination of *Coffea arabica* seeds extract (CSE) and acetylcholine were shown good skeletal muscle activity.

## REFERENCES

1. Manay NS and Shadaksharaswamy M. "Foods: Facts and Principles". New Age International (P) Limited, Publishers, New Delhi, India, 1987; 12: 131-135.
2. FAOSTAT. "Food and Agriculture Organization of United Nations, Food and Agriculture data", 2019.
3. **Shravan** Kumar Dholi, Ramakrishna Raparla, Santhosh Kumar Mankala, Kannappan Nagappan. *In vivo* Antidiabetic Evaluation of Neem Leaf Extract in Alloxan Induced Rats. J Applied Pharm Sci, 2011; 01(04): 100-105.
4. Shravan kumar Dholi, Ramakrishna Raparla, Kannappan. Effect of *Gymnema sylvestre* on Pharmacokinetics and Pharmacodynamics of Gliclazide in Diabetic rats. AJPCT, 2013; 1: 023-036.
5. Shravan kumar Dholi, Ramakrishna Raparla, Kannappan. Effect of *Gymnema sylvestre* on Pharmacokinetics and Pharmacodynamics of oral hypoglycemic drugs –Gliclazide in STZ induced Diabetic rats. Annual Research and Review in Biology, 2014; 4(22): 3373-3385.
6. Shravan kumar Dholi, Ramakrishna Raparla, Kannappan. Effect of *Gymnema sylvestre* on Pharmacokinetics and Pharmacodynamics of 0.5mg and 0.6mg Glibenclamide in Diabetic rats. IJPR, 2015; 5(8): 172-178.

7. Shravan Kumar Dholi, S. Ananditha Reddy, B. Srinidhi Reddy, E. Pramukhya. A REVIEW ON *TECOMA STANS* IAJPS, 2018; 05(01): 206-208.
8. Shravan Kumar Dholi, Ramakrishna Raparla, Kannappan. *In Vivo* Antidiabetic Evaluation Of Gymnemic acid In STZ Induced Rats. The Pharma Innovation Journal, 2014; 3(7): 82-86.
9. Shravan Kumar Dholi Evaluation of skeletal muscle activity of *Coffea arabica* leaves extract on isolated frog's rectus abdominus muscle, The Pharma Innovation Journal, 2019; 8(7): 537-539.
10. Shravan Kumar Dholi. Ruqsar, K. Malathi, S. Akhila, P. Abhilash, P. (2015). Evaluation of skeletal muscle activity of fenugreek seeds extract and fenugreek leaves extract on isolated frog's rectus abdominus muscle. Indo American journal of pharmaceutical sciences, 2015; 2(4): 763-770.
11. Anvesh Nag, P. Samatha, P. Rajitha, T. Susheel, R. Rekha, R. Rakesh, R. Shravan kumar Dholi. Ramakrishna, R. (2015). Evaluation of skeletal muscle activity of *Aloe vera* extract on frog's rectus abdominus muscle International journal of phytopharmacy research, 2015; 6(2): 61-64.
12. Rajashekhar C. H, Shravan Kumar Dholi, EVALUATION OF SKELETAL MUSCLE ACTIVITY OF *HIBISCUS ROSA SINENSIS* LEAVES EXTRACT ON ISOLATED FROG'S RECTUS ABDOMINUS MUSCLE, EJBPS, 2019; 6(3): 473-478.
13. Shravan Kumar Dholi, G. Anusha, A. Jyothi P, Aparna and K. Sushmitha, EVALUATION OF SKELETAL MUSCLE ACTIVITY OF *OCIMUM SANCTUM* LEAVES AND SEEDS EXTRACT ON FROG'S RECTUS ABDOMINUS MUSCLE, EJPMR, 2019; 6(4): 473-479.
14. Shravan Kumar Dholi, P. Soujanya, G. Pravalika, V. Ashmitha and B. Haritha, EVALUATION OF SKELETAL MUSCLE ACTIVITY OF *AZADIRACHTA INDICA* LEAVES AND FLOWERS EXTRACT ON FROGS RECTUS ABDOMINUS MUSCLE, EJBPS, 2019; 6(4): 425-438.