# WORLD JOURNAL OF PHARMACEUTICAL RESEARCH

SJIF Impact Factor 8.084

ISSN 2277-7105

Volume 10, Issue 3, 2093-2100.

**Review Article** 

# INTRODUCTION OF VIRUDDHAHAR ACCORDING TO AYURVEDA

<sup>1\*</sup>Dr. Bijita Majumder, <sup>2</sup>Dr. Abichal Chattopadhyay, <sup>3</sup>Dr. Abhisekh Shah and <sup>4</sup>Dr. Ajay **Kumar Goswami** 

<sup>1</sup>Assistant Professor, Dept. of Ayurved Samhita and Siddhant, Kalawati Ayurvedic Medical College and Research Center and Hospital, Gorha, Kasganj-U.P.

<sup>2</sup>Professor & HOD, Dept of Ayurved Samhita and Siddhant, Institute of Post Graduate Ayurvedic Education and Research at Shyamadas Vaidya Sastra Pith, Kolkata, West Bengal. <sup>3</sup>Assistant Professor, Dept. of Rachana Sharir, Kalawati Ayurvedic Medical College and Research Center and Hospital, Gorha, Kasganj-U.P.

<sup>4</sup>Assistant Professor, Dept. of Kaumarbhritya, Kalawati Ayurvedic Medical College and Research Center and Hospital, Gorha, Kasganj-U.P.

Article Received on 21 Jan. 2021.

Revised on 11 Feb. 2021. Accepted on 01 March 2021

DOI: 10.20959/wjpr20213-24183

# \*Corresponding Author Dr. Bijita Majumder

Assistant Professor, Dept. of Ayurved Samhita and Siddhant, Kalawati Ayurvedic Medical College and Research Center and Hospital, Gorha, Kasganj-U.P.

bijitamajumder2019@gmail.com

# **ABSTRACT**

Aaharis the food item swallowed by the humans either in the form of liquids or solids. All medicines available in this world are also called food. Anything which is ingested and swallowed and maintains the equilibrium of *Sharirik dhatus* and helps in eliminating the disturbance of the equilibrium, is said to be Aahar. Now Aahar, if doesn't maintain the equilibrium of Sharirik dhatus is said to beViruddhahar. Food sustains the life of living beings. But Viruddhahar, on the other hand, is the causative factor of many diseases. Our ancient texts have given a lot of examples of *Viruddhahar*, which should not be taken or ingested. This article will enlighten a number of classical examples of Viruddhahar described in Brihattrayi, along with the generalized aftereffects of these viruddha or incompatible combinations of the food. After enlisting a number of examples of Viruddhahar, scholars also described the treatment of the after-effects of these incompatabilities.

Viruddhahar, no doubt, can cause serious complications, may it be toxic symptoms or even death; but can also be wholesome or Satmaya in the individuals having deeptagni, practices exercise or oleation regularly etc.

**KEYWORDS:** Viruddhahar, satmayata, dosha, dhatu-pratyanik, ahitkar, tar-tam yoga, aamvisha, abhishyandi, teekshagni, deeptagni, erysepals, ascites, epilepsy, AGE, epigenetic.

# INTRODUCTION

Viruddhahar, or the incompatible foods or antagonist foods like wrong combinations or food processing interactions or incorrect dosage etc of the food have been described in *Brihattrayi*. Aacharyashad enlisted a number of examples of non ingestible food materials along with their generalized after-effects and their management. Aahar-satmayata has also been described by these scholars. Ayurveda shares the maximum knowledge of Viruddhahar and should be studied well. Knowing these incompatible foods can only, help us to avoid ingesting these wrong combinations.

# **DETAILED STUDY**

### **Definition**

The foods which provoke the *doshas* in our body on one hand and are unable to eliminate the imbalance of these *doshas* on the other hand are called *Viruddhaha*r. These food articles work as antagonists (pratyanik to dhatus) in our body. The foods which increase *doshas* in our body, disturbs tissue metabolism and are unable to be eliminated from the body can cause a lot of diseases in our body. The foods which have properties opposite to the properties of our body tissues cause disturbances in our body tissues. Foods are incompatible due to their opposite properties, the wrong combinations, their wrong processings, regional interactions, seasonal interactions, their incorrect dosages or might be naturally incompatible. [3]

Any foods or medicines that liquefy the doshas but don't eliminate them out of the body are said to be *ahitkar*.<sup>[4]</sup>

# **Types**

There are 18 types of Ahitkar or Viruddhahar

- Desh-Viruddha(Regional Interactions)- egdry,hot,pungent foods consumed in tropical regions or oily,cool foods consumed in marshy regions
- 2. *Kaal-Viruddha*(Seasonal Interactions)-cold stuffs like cold-drinks, ice-creams etc in winters and vice versa
- 3. Agni-Viruddha(Digestive Interactions)-foods not to be taken according to one's digestive powers.

- 4. *Matra-Viruddha*(Dose Interactions)-eghoney+ghee in equal quantity are hazardous to health.
- 5. Satmaya-Viruddha(Habitual Interactions)-eghot, pungent foods consumed by a person habitual of taking cool, sweet foods
- 6. *Dosha-Viruddha*(Bodily interactions)-the foods which have properties similar to our doshas to be taken regularly are said to be *doshaviruddha*
- 7. Samskar-Viruddha(Processing interactions)-they act as toxins in our body eg roasting Peacock in Castor wood.
- 8. *Veerya-Viruddha*(Potency Interactions)-eg combining hot-cold, fresh-old, ripe-unripe foods.
- 9. Koshtha-Viruddha(Bowel Interactions)-foods having low potency & with properties to cause constipation, if given to a person having hard stool is koshthaviriddha for that person. Similarly heavy, oily, laxative foods to a person having soft bowel is koshthaviruddha for that person.
- 10. Avastha-Viruddha(Life standard interactions)-egvaatvardhakaahar to a labor class individual and kaphvardhakaahar to a lazy,sleepy individual
- 11. Krama-Viruddha(Orderly interactions)-eg food ingested before elimination of body wastes(urine, feces) etc.
- 12. Parihar -Viruddha(Contraindicated interactions)-eg hot foods (tea,coffee) after consuming pork meat.
- 13. Upchar-Viruddha(Remedial interactions)-eg cold water just after consuming ghee or oily foods.
- 14. Paak-Viruddha(Cooking interactions)-eg uncooked or overcooked foods.
- 15. Samyoga-Viruddha(Wrong combinations)-eg milk with sour foods like lemon,oranges etc.
- 16. Ahridya(Unpleasant)-foods which are not pleasant to our heart or are unpalatable are also considered as *Viruddhahar*.
- 17. Sampad-Viruddha(Impotent)-foods which don't have their full potency or are expired
- 18. Vidhi-Viruddha(Rule interactions)-foods, if not taken according to the 10 rules(Aahar Vidhi Vidhan as food should be consumed warm, unctuous, in proper quantity, at proper place etc.) described in Ayurveda, are called Vidhi Viruddhahar.<sup>[5]</sup>

A lot of other examples of *Viruddhahar*have been enlisted in *Brihattrayi*. Acharya Sushruta mentioned them under *samyoga-viruddha*, *karma(parihar)viruddha*, *maan-viruddha*, *ras-veerya-vipaakviruddha*, & *tar-tam yoga viruddha*. [6]

# **Examples**

- Wrong combinations with Milk
- All Sour items with milk
- Green leafy vegetables(egmustard,spinach),radish, garlic, basil, *kulath*, *pinyak*, curd, vegetable oils, sprouts, *pishta*(*tandul-pishta*), wines with milk. They may cause leprosy or skin diseases. It is a type of chemical incompatibility equivalent to poisoning
- Salt with milk.
- Wine and khichdi with *payas*(milk pudding).
- Mango, *jambufal*, *lakuchfal*(a type of jackfruit with smalk size) with milk.
- Banana with *taalfal*(Palm fruit), milk, curd or *takra*.
- Mango, dry mango (*Aamra*) ,matulunga(a type of lemon), nikuch(badhal), karaunda, jambu, walnuts, tamarind, panas, coconut, pomegranate, Amla with milk.
- Sheep or goat meat, fish, mainly *chilchim* fish, meat of iguana (*goha*), pork meat with milk. They may cause leprosy or skin diseases.
- Fish mainly *chilchim* with milk. Both are *abhishyandi*or obstructive and also opposite in *veerya*(milk is *sheetveerya* and fish is *ushnaveerya*) This combination produces *aamvisha*
- ➤ Non Vegetarian Incompatibilities
- meat with honey, jaggery, sesame-milk, *urad*, radish, *bis* and germinated grains. It causes deafness, dumbness, blindness, tremors, stiffness or even death
- Pigeon roasted in mustard oil; with milk & honey. Not only pigeon, but also some green leafy vegetables like *paushkar*, *rohinishaak*fried in mustard oil; with milk &honey are incompatible. This may cause obstruction or dilatatiin in bloid vessels, Epilepsy, Acute pain in temporal region, Goiter& even Death
- Chicken with curd
- Frying *Pippali* in same oil in which fish has already been roasted
- ➤ Honey Incompatibilities
- Honey & Ghee in equal quantity.
- Honey, ghee, *vasa*(fat), tail, water in combination of two, three or all are incompatible.

- Even unequal quantity of honey and ghee with rainwater is incompatible
- Equal quantity of honey and water, equal quantity of honey and any snehare contraindicated.
- Honey should not be heated or should not be consumed with hot foods.
- Honey with radish.
- Honey with pork.
- Jaatushak or Nikuchfal (badhal) with milk and honey. It may lead to loss of strength, complexion, glow, vigour and even death.
- Honey witt*Pushkar beej (kamal-gatta)*
- Honey with jaggery.
- Hot water after consumption of honey leads to death.
- Honey kept for 10 days in bronze vessel is contraindicated
- DoshaVardhak Incompatibilities
- Wine prepared from sugars or wine prepared from dates, if consumed with honey leads to vaatvriddhi.
- Haaridrak roasted in mustard oil causes pittavriddhi.
- Paayas(milk puddings) with manth (kneaded flour+sugar) leads to kaphavriddhi.
- ➤ Miscellaneous Incompatibilities
- Ghee, wine, curd, honey kept for 10 days in bronze vessel
- Hot curd, hot wines, hot takra, hot Bhallatak.
- Banana with curd or takra
- *Kaakmachi*with *pippali*, *maricha*, honey and jaggery.
- Soups of pulses with curd.
- Pulse soup with radish.
- *Kanji(sauveerak)* with *tilshashkuli*.
- Green leafy vegetables with butter
- Ras-veerya-vipakvirruddhahar
- *Tar-tam yoga viruddhahar-* Too dry, too unctuous, too hot, too cold foods eg cow's milk is compatible to *samagnipurush* but not the Buffalo milk; because it is too *abhishyandi*(unctuous) and is compatible only to a person who has *teekshagni*(strong digestive powers).

- Equal quantity of water and any sneha.<sup>[7] [8] [9]</sup>
- ➤ Activity Related Interactions
- One should not immerse oneself in cold water immediately after prolonged exposure to sunlight. It may cause skin diseases, eye problems, thirst etc.
- Drinking milk soon after long exposure to sunlight may lead to *Raktapitta*or bleeding conditions.
- Consuming food immediately after physical exertion may cause vomiting, gulma(bloating)
- Consuming food immediately after getting tired of speaking loudly for long times. It may cause hoarseness of voice.[10]

### **Effects**

Generally Virruddhaharleads to many diseases, weakness in senses, and even death. It may cause sterility, blindness, Erysepals, ascites, eruptions, insanity, fistula, fainting or unconsciousness, intoxication, goiter, anemia, indigestion, poisoning, leprosy, leukoderma, swelling, acidity, fever, running nose, diarrhea, impotency, sterility, genetic disorders and even death. Abscess, boils, tuberculosis, loss of vigor, strength, memory, sense perception, intellect, 8 mnahagad and even death as in poisoning. These effects are not seen in individuals who have strong digestive powers and are in young stage, who are accustomed to vyayam and snehaie who practice exercise and oleation regularly, who are well built and strong. Moreover incompatible foods, if taken in small quantity and which have become habituated will not cause any harm to a person. To a surprise, sometimes these incompatible foods may even cure a disease by affecting dosha fluctuations eg the consumption of incompatible combinations of curd and of milk described earlier may not become incompatible always. [11] [12] [13]

#### **Treatment**

Diseases due to consumption of incompatible foods can be managed by Samshodhan karma (Detoxification & Purification) like vaman, virechan; & Shaman Chikitsa.

Poorvam Hit Sevanam (Always Consume Compatible Foods) is the main Key. [14] [15] [16]

Unhealthy foods which have become habituated to the body should be tapered off gradually by decreasing 1/4th of the accustomed quantity and in similar way, good foodstuffs should be

increased gradually in the place of bad stuff. The method of tapering of bad things gradually makes the doshas to get rid of the bad effects; acquire their normal quantities; cease to produce diseases and attain their equipoise status. So, both discontinuance of bad foods and continuance of good stuff should be gradual. [17]

# **RESULTS AND DISCUSSION**

Knowledge of Viruddhahar given in ancient texts have significant role in the maintenance of health. Scientifically, the disorders caused by different types of Viruddhahar, have very logical explanation. Incompatible foods or antagonist foods may cause skin eruptions, inflammations, indigestion, intoxication, impotency or genetic disorders etc. Certain processing incompatibilities may lead to production of toxic chemicals, or may deteriote the nutrient values of the foods. Sometimes processing incompatibilities may convert a good food into a receptor for advanced glycosylated end product (AGE). Production of AGEs is not good for health. They may lead to neurodegenerative diseases and cancers. They also produce progressively, during normal ageing. Certain type of food combinations may have hazardous effects on our immune system, nervous system, genetic system etc. Gene expressions if have errors, may lead to genetic disorders. Certain food combinations can cause epigenetic modifications (changes made to the genome without changing the nucleotide sequence). Addition of methyl group to DNA is a very common type of epigenetic modification, which alters the structure of DNA and hence can affect the gene expressions. This leads to fetal genetic disorders (Santandoshaby acharyas). [18]

Many combinations may cause skin diseases as leprosy, leukoderma, vitiligo, eruptions etc. Actually these wrong combinations cause an imbalance in the body, weaken our immune system and affect our digestive system by increasing workload of our digestive system. This leads to bloating and some bacterial infections. Weakened immune system may lead to vitiligo as vitiligo is an autoimmune disease. Citrus fruits, mango, meat which are rich in phenols, if consumed with milk, have negative impact on skin. Some wrong combinations may act as allergens also, si, may cause boils, eruptions or allergic reactions.

Detoxification and purification of the body is the main line of treatment. Individuals with good digestive powers and who practice exercise and oleation are not prone to ill effects of incompatible foods

# **CONCLUSION**

It has been concluded that detailed explanation of *Viruddhahar* is given in Ayurvedic Samhitas. Acharyas had given great emphasis on *Aahar*, specially *Viruddhahar*, which leads to many diseases. Moreover how to get rid of these diseases or habits, have also been instructed in detail.

#### REFRENCES

- 1. Dr. S. SureshBabu, Vagbhat's Ashtang Samgraha Sutrasthan 9/7, Chaukhamba Oreintalia, Varanasi, First edition, 2004.
- 2. Dr. Anantram Sharma, Sushruta Samhita, Vol 1, Sutrasthan 20/20, ChaukhambaSurbhartiPrakashan, Varanasi, 2000.
- 3. Vd. Harish Chandra Kushwaha, Caraka Samhita, First part, Sutrasthan 26/81, ChaukhambaOreintalia, Varanasi, Reprint edition 2016.
- 4. Ibid. Caraka Samhita, Sutrasthan 26/85.
- 5. Ibid. Caraka Samhita, Sutrasthan 26/86-101.
- 6. Ibid. Sushruta Samhita, Vol 1, Sutrasthan 20/13-17.
- 7. Ibid. Vagbhat's Ashtang Samgraha Sutrasthan 9/2-5.
- 8. Ibid. Sushruta Samhita, Vol 1, Sutrasthan 20/8, 13-15.
- 9. Ibid. Caraka Samhita, Sutrasthan 26/84, 99.
- 10. Ibid. Vagbhat's Ashtang Samgraha Sutrasthan 9/6.
- 11. Ibid. Vagbhat's Ashtang Samgraha Sutrasthan 9/13-14.
- 12. Ibid. Sushruta Samhita, Vol 1, Sutrasthan 20/22.
- 13. Ibid. Caraka Samhita, Sutrasthan 26/106.
- 14. Ibid. Vagbhat's Ashtang Samgraha Sutrasthan 9/12.
- 15. Ibid. Sushruta Samhita, Vol 1, Sutrasthan 20/21.
- 16. Ibid. Caraka Samhita, Sutrasthan 26/105.
- 17. Ibid. Vagbhat's Ashtang Samgraha Sutrasthan 9/16-17.
- 18. Kaneda M, okano M, Hatak, Sado T, T sujimoto N, Li E, et al. Essential role for dr novo DNA methyl transferase Dnmt 3a in paternal & maternal imprinting Nature 2004; 429:900-3 [Pub Med]