

STRUCTURAL AND PHILOSOPHICAL PERSPECTIVES ON TWACHA: A HARMONIZED REVIEW OF TRADITIONAL AYURVEDIC AND CONTEMPORARY DERMATOLOGICAL CONCEPTS

¹*Dr. Vishali Mankotia, ²Dr. R.M.S. Kushwah, ³Dr. Pooja Makhnotra, ⁴Dr. Pooja
Thakur

¹MD Scholar, Postgraduate Department of Rachana Sharir, Rajiv Gandhi Government Post
Graduate Ayurvedic College and Hospital, Paprola, Kangra(H.P.)

²Professor, Postgraduate Department of Rachana Sharir, Rajiv Gandhi Government Post
Graduate Ayurvedic College and Hospital, Paprola, Kangra(H.P.)

^{3,4}Lecturer, Postgraduate Department of Rachana Sharir, Rajiv Gandhi Government Post
Graduate Ayurvedic College and Hospital, Paprola, Kangra(H.P.).

Article Received on 15 Sept. 2026,
Article Revised on 05 Oct. 2026,
Article Published on 16 Oct. 2026,
<https://doi.org/10.5281/zenodo.23366310>

*Corresponding Author

Dr. Vishali Mankotia

MD Scholar, Postgraduate
Department of Rachana Sharir,
Rajiv Gandhi Government Post
Graduate Ayurvedic College and
Hospital, Paprola, Kangra(H.P.).



How to cite this Article: ¹*Dr. Harshika S. Bhagat, ²Dr. Pramod Garje. (2026). Structural And Philosophical Perspectives On Twacha: A Harmonized Review Of Traditional Ayurvedic And Contemporary Dermatological Concepts. World Journal of Pharmaceutical Research, 15(20), 168–177.

This work is licensed under Creative Commons Attribution 4.0 International license.

ABSTRACT

Ayurveda, the foundational Indian science of medicine, offers a highly sophisticated framework for understanding human anatomy and physiology. Classical authorities like *Acharya Charaka* and *Acharya Sushruta* documented the skin (*Twacha*) extensively, defining it in the *Sushruta Samhita* as the primary anatomical seat of tactile perception (*Adhishtana of Sparshanendriya*). Far from being a passive external envelope, *Twacha* is recognized as a dynamic structure intricately linked to tissue nourishment (*Dhatu Poshana*), systemic equilibrium, and metabolic vitality. Similarly, contemporary biomedical science identifies the skin as the largest organ of the integumentary system, acting as a crucial immunological barrier and sensory interface. While most cutaneous disorders carry low mortality rates, their profound impact on psychological well-being and life quality underscores the clinical value of precise anatomical insights.

This review synthesizes classical Ayurvedic concepts—including etymology (*Nirukti*), structural anatomy (*Sharira Rachana*), functional physiology (*Sharira Kriya*), and pathomorphology (*Vikriti*), along with specialized concepts like *Varna*(complexion), *Chhaya* (shade), *Prabha* (radiance), and *Twaksara* (skin excellence) — with modern dermatological paradigms. Bridging these two frameworks refines diagnostic precision and enriches clinical approaches to skin health in contemporary practice.

KEYWORDS: *Twacha*, skin, Dermatology, *Ayurveda*, *Sparshanendriya*.

INTRODUCTION

The skin represents the largest organ system of the human body, serving as the primary interface of the integumentary system. Spanning approximately 1.5–2 m^2 and accounting for nearly 15% of total body mass in adults, it functions as a dynamic shield isolating internal physiology from external environmental threats. Beyond simple containment, it drives vital systemic processes including thermoregulation, sensory transmission, immunological surveillance, metabolic synthesis, and fluid balance.

In the Ayurvedic paradigm, this cutaneous system is designated as *Twacha*, *Twak*, or *Charma*, and is classified as the physical substrate for the organ of touch (*Adhishtana of Sparshanendriya*). Ancient texts reveal distinct anatomical classifications: *Acharya Charaka* identifies a six-layered architecture, whereas *Acharya Sushruta* delineates seven distinct layers, documenting specific thicknesses and distinct pathological susceptibilities for each. *Sushruta* also emphasized regional variations in skin thickness across different areas of the body. This observation aligns directly with modern gross anatomy, which notes pronounced structural thickness on the palms and soles contrasted with extreme thinness across the eyelids. Given the rising global incidence of dermatological conditions, integrating historical perspectives with contemporary histological insights provides a comprehensive framework for preventive and therapeutic skincare.

MATERIALS AND METHODS

This comprehensive review was executed through a rigorous literary analysis of classical Ayurvedic treatises, primarily focusing on the *Charaka Samhita*, *Sushruta Samhita*, and their authoritative historical commentaries. To bridge these classical principles with modern science, contemporary textbooks on human anatomy, embryology, and peer-reviewed dermatological literature were systematically evaluated. The structural and anatomical

assertions were contextualized using qualitative insights derived from cadaveric dissections and established histological profiles of human skin. Variations in regional skin thickness were evaluated by cross-referencing classical measurements with data obtained through modern diagnostic modalities, including high-frequency ultrasonography and precision caliper metrics.

Nirukti (Etymology) of Twacha

The word *Twacha* is etymologically derived from the Sanskrit root "*Twach-Samvarane*", which translates literally to "the act of enveloping, covering, or shielding." Within classical literature, the terms *Twak* and *Charma* are deployed interchangeably to denote this protective outer boundary.

Physiologically, *Twacha* acts as a biological shield safeguarding the deeper vital tissues—namely *Rakta* (blood), *Mamsa* (muscle tissue), and *Meda* (adipose tissue). *Ayurveda* categorizes *Twacha* as the functional home of the *Sparshanendriya* (tactile faculty), numbering it among the five cognitive senses (*Panch Gyanendriyas*). Characterized by its inherent capacity for elasticity—expanding and contracting in response to movement and volume shifts—it serves as a primary functional territory for both *Prana Vayu* and *Vyana Vayu*. As a specialized neurological interface, it mediates the cognitive processing of external stimuli, including touch, temperature variations, pressure, and nociception (pain).

Sharira Rachana of Twacha




***Figure showing cross section of human skin.**

Acharya Charaka classifies *Twacha* as an *Upadhatu* (secondary tissue element) derived from *Mamsa Dhatu* (muscle tissue), emphasizing its structural reliance on deeper musculoskeletal integrity. In accordance with the *Panchamahabhuta Siddhanta* (the theory of five master elements), all biological structures are organized by combinations of Ether, Air, Fire, Water, and Earth. Consequently, both the macroscopic architecture and microscopic processes of *Twacha* are governed by this elemental composition, enabling it to withstand mechanical, thermal, and chemical insults while preserving subtle sensory acuity.

***Table: Thickness of layers of skin according to Ayurveda.**


S. No.	Layer Name	Thickness	Location / Associated Diseases & Features
1	Avabhasini	1/18 Vrihi	<i>Sidhma</i> (Pityriasis/Tinea), <i>Padmakantaka</i> (Acne), <i>Chhaya</i> (Complexion), <i>Varṇa</i> (Skin Color)
2	Lohita	1/16 Vrihi	<i>Tilakalaka</i> (Moles), <i>Nyachha</i> (Melasma), <i>Vyanga</i> (Freckles)
3	Sveta	1/12 Vrihi	<i>Charmadala</i> (Dermatitis), <i>Ajagallika</i> (Infantile eruptions), <i>Mashaka</i> (Warts)
4	Tamra	1/8 Vrihi	<i>Kilasa</i> (Vitiligo/Leucoderma), <i>Kuṣṭha</i> (Various skin diseases/Leprosy)
5	Vedini	1/5 Vrihi	<i>Kuṣṭha</i> (Skin diseases), <i>Visarpa</i> (Erysipelas/Herpes)
6	Rohiṇi	1 Vrihi	<i>Apachi</i> (Scrofula), <i>Arbuda</i> (Tumors), <i>Granthi</i> (Cysts), <i>Ślipada</i> (Elephantiasis), <i>Galagaṇḍa</i> (Goiter), <i>Gaṇḍamala</i> (Cervical lymphadenitis)
7	Māṃsadhara	2 Vrihi	<i>Arsa</i> (Piles/Hemorrhoids), <i>Bhagandara</i> (Fistula-in-ano), <i>Vidradhi</i> (Abscess)

***Table: Classifications of Skin Layers by Different Acharyas.**

Layer	Charaka	Suśruta	Vāgbhaṭa	Śārṅgadharā	Bhāvaprakāśa
1st	Udakadhara	Avabhāsini	Bhāsinī / Avabhāsini	Avabhāsini	Avabhāsini
2nd	Asṛgdharā	Lohitā	Lohitā	Lohitā	Lohitā
3rd	Sidhma–Kilāsa Adhiṣṭhāna	Śvetā	Śvetā	Śvetā	Śvetā
4th	Alājī–Vidradhi Adhiṣṭhāna	Tāmra	Tāmra	Tāmra	Tāmra
5th	Dadru–Kuṣṭha Adhiṣṭhāna	Vedinī	Vedinī	Vedinī	Vedinī
6th	Injury causes Andhatva and Tāmapraveśa	Rohiṇī	Rohiṇī	Rohiṇī	Rohiṇī
7th	—	Māṃsadharā	Māṃsadharā	Māṃsadharā	Sthūlā

Histological and Pathological Correlations Acharya Sushruta's seven-layer model displays a profound conceptual overlap with the modern histological understanding of the epidermis, dermis, and hypodermis. The table below outlines these structural correlations alongside their

classical pathological manifestations:

Ayurvedic Stratum	Probable Histological Correlation	Modern Associated Clinical Pathologies (<i>Sushruta</i>)
Avabhasini	Stratum corneum (Epidermis)	<i>Sidhma</i> (Pityriasis), <i>Padmakantaka</i> (Papillomas) 
Lohita	Stratum lucidum / Malpighian base	<i>Tilakalaka</i> (Lentigines), <i>Vyanga</i> (Melasma) 
Shweta	Stratum granulosum	<i>Charmadala</i> (Dermatitis), <i>Ajagallika</i> (Infantile cysts) 
Tamra	Stratum spinosum / Basal layer	<i>Kilasa</i> (Vitiligo), various <i>Kushtha</i> (Leprosy/Psora) 
Vedini	Papillary Dermis	<i>Visarpa</i> (Erysipelas / Acute spreading lesions) 
Rohini	Reticular Dermis	<i>Granthi</i> (Benign nodules), <i>Arbuda</i> (Tumors), <i>Galaganda</i> 
Mamsadhara	Subcutaneous Tissue (Hypodermis)	<i>Bhagandara</i> (Fistula-in-ano), <i>Vidradhi</i> (Abscesses) 

Synonyms of *Twacha*

Classical literature employs an array of descriptive synonyms for the skin, each reflecting a specific functional, structural, or aesthetic attribute:

- **Charma:** The resilient leather-like protective coat.
- **Sparshan:** The primary organ mediating tactile awareness.
- **Chavi / Kruti / Ajin:** Terms denoting the external surface, complexional sheet, or natural hide.


- **Chadani:** That which cloaks or conceals internal anatomy.
- **Asrugdhara:** The vascular layer that contains or holds blood.
- **Romabhumi:** The anatomical soil from which body hair emerges.

In contemporary medical terminology, these terms collectively encompass the complex layers of the epidermis and dermis.

Development of *Twacha* (*Twacha Utpatti*)

I. The Traditional Ayurvedic Paradigm

[Acharya Sushruta's Model]



II. Modern Embryological Paradigm

Fertilization & Zygotic Cleavage

↓

Gastrulation Phase (Weeks 3–4)

↓

Differentiation of Primordial Germ Layers

Ectoderm Layer —> Epidermis & Neuro-ectodermal structures

Mesoderm Layer —> Dermis, Hypodermis & Vascular networks



Sequential Stages of Epidermal Morphogenesis:

- Cellular Specification (Basal commitment)
- Stratification (Multi-layer architecture)
- Terminal Differentiation (Keratinization)
- Appendage Formation (Hair follicles, Sebaceous & Sweat glands)

Physiological and Clinical Concepts

Pathological Classifications

In classical *Ayurvedic* medicine, the broad spectrum of dermatological pathologies is systematized under the umbrella term ***Kustha Roga***. This group is classified into two major clinical segments: *Maha Kustha* (major, deep-seated cutaneous pathologies) and *Kshudra Kustha* (minor or localized skin conditions). Modern dermatology manages these clinical presentations using an altered taxonomical approach, categorizing diseases based on immune-mediated inflammatory pathways, infectious etiologies (bacterial, viral, fungal), autoimmune mechanisms, and neoplastic transformations.

Cutaneous Physiology and Thermoregulation

Ayurveda defines the living body (*Sharira*) as a dynamic entity undergoing continuous degradation and cellular rejuvenation. Within this framework, *Twacha* provides structural containment (*Dharana*), supporting the underlying *Rakta* and *Mamsa Dhatus* while acting as a barrier against environmental pathogens.

The metabolic and aesthetic characteristics of the skin are governed by ***Bhrajaka Pitta***, a specialized sub-type of metabolic fire localized within *Twacha*. This principle regulates skin temperature, complexional luster, and the digestion (*Paka*) of topically administered formulations such as oils (*Taila*), pastes (*Lepa*), and medicated infusions. A functional derangement in *Bhrajaka Pitta* leads to visible shifts in *Chhaya* (skin tone nuances) and *Prabha* (radiance).

Furthermore, the *Avabhasini* stratum dictates initial visual presentation and complexion (*Varna*). Fluid homeostasis is regulated by *Udakadhara* (the water-retaining capacity), while the pores (*Romakoopa*) serve as channels for sweat elimination. This classical model aligns with the modern understanding of eccrine function, trans-epidermal water loss, thermoregulation, and electrolyte equilibrium.

The Concept of *Varna*, *Chhaya*, and *Prabha*

Acharya Charaka outlines four natural, physiologically normal complexions (***Prakrit Varna***), determined primarily by genetic factors and maternal diet during embryogenesis:

1. ***Krishna*** (Deep/Dark)
2. ***Shyama*** (Dusk/Warm Brown)
3. ***Shyama-Avadata*** (Intermediate/Olive)
4. ***Avadata*** (Fair/Gaura)

While baseline *Varna* remains biologically stable throughout an individual's life, ***Chhaya*** and ***Prabha*** serve as dynamic indices of an individual's immediate health and metabolic state.

- ***Chhaya (Complexional Nuance)***: Represents the subtle undertone or depth of the skin coloration. It is best appreciated upon close physical inspection. *Chhaya* can reflect immediate pathological shifts or systemic stress.
- ***Prabha (Radiance / Luster)***: Refers to the luminous vitality or light-reflecting capability of the skin, discernible from a distance. Classified into seven distinct optical presentations based on elemental dominance (*Rakta*, *Peeta*, *Sita*, *Shyava*, *Harita*, *Pandu*, and *Asita*), *Prabha* indicates optimal tissue oxygenation and metabolic health.

These descriptions showcase an advanced observational system developed by ancient clinicians to identify internal visceral pathologies through non-invasive visual examination of the skin.

DISCUSSION AND RESULTS

A comparative analysis combining classical literature with contemporary scientific observation reveals an advanced degree of conceptual harmony. *Acharya Sushruta's* seven-layered anatomical model closely mirrors the modern histological subdivision of the integument. The superficial *Avabhasini* layer serves the same protective, light-reflecting role as the stratum corneum. Deeper structures like *Tamra* and *Vedini* correspond directly to the proliferative basal layers and vascularized papillary dermis, which are frequently implicated in immunoregulatory and pigmentary disorders like vitiligo (*Kilasa*) and erysipelas (*Visarpa*).

Both ancient and modern medical systems view the skin not merely as an anatomical wrapper, but as a complex sensory and immunological organ. The classical description of *Bhrajaka Pitta* provides an early conceptual framework for transdermal drug delivery, local cellular metabolism, and enzymatic transformations within the skin layers. Integrating

these paradigms allows clinicians to utilize classical observational insights (such as shifts in *Chhaya* and *Prabha*) alongside modern diagnostic tools for comprehensive patient evaluation.

CONCLUSION

This integrative study demonstrates that ancient Ayurvedic concepts of *Twacha Sharir* possess significant structural and functional alignment with modern dermatological science. The sophisticated anatomical layering described by historical scholars highlights an advanced level of empirical observation that remains clinically relevant. Because systemic and localized disorders regularly manifest through altered cutaneous pigmentation, texture variations, and sensory shifts, a solid understanding of baseline cutaneous physiology (*Prakriti*) is essential for recognizing early signs of disease (*Vikriti*). Blending classical Ayurvedic frameworks with modern histological and pathophysiological concepts provides a holistic approach that can enhance diagnostic accuracy and therapeutic outcomes in modern dermatological practice.

REFERENCES

1. Shastri A, ed. *Sushruta Samhita* with Ayurveda Tatva Sandeepika Commentary, Shareer Sthana. Varanasi: Chowkhamba Sanskrit Sansthan, 2010.
2. Shastri K, ed. *Charaka Samhita* with Vidyotini Commentary, Shareer Sthana. Varanasi: Chowkhamba Sanskrit Sansthan, 2007.
3. Shastri H, ed. *Ashtanga Hridaya* with commentaries of Arunadatta and Hemadri. Varanasi: Chaukhambha Orientalia, 2007.
4. Ghanekar BD. *Sushruta Samhita*, Shareer Sthana, with Ayurveda Rahasya Deepika Commentary. Delhi: Meherchand Prakashan, 2008.
5. Tortora GJ, Derrickson B. *Principles of Anatomy and Physiology*. Indian ed. New Delhi: Wiley India Pvt. Ltd., 2016.
6. Naik D. *Ayurvedic Rachana Sharir Vigyan*. Varanasi: Chowkhambha Sanskrit Sansthan, 2007.
7. Shimpi P. *Textbook of Rachana Sharir*. 2nd ed. Nagpur: Dhanwantari Books, 2015.
8. Chaurasia BD. *Human Anatomy*. 7th ed. New Delhi: CBS Publishers and Distributors, 2016.
9. Guyton AC, Hall JE. *Textbook of Medical Physiology*. 13th ed. New Delhi: Elsevier India Pvt. Ltd., 2016.

10. Baran R, Maibach HI. *Textbook of Cosmetic Dermatology*. 5th ed. London: Informa Healthcare, 2008; 678–697.