WORLD JOURNAL OF PHARMACEUTICAL RESEARCH
CodenUSA: WJPRAP Impact Factor 8.63
Volume 15, Issue 22, 222-232. Review Article ISSN 2277–7105

ROLE OF AVARANA IN DISEASE ETIOPATHOGENESIS: A CONCEPTUAL REVIEW

[1]*Dr. Akanksha Ramesh Raut, [2]Dr. Vipul kanani

[1*]3rd Year PG. Scholar, Rognidan Evum Vikriti Vigyan Department Rtam, Akola.

[2]Professor and HOD, Rognidan Evum Vikriti Vigyan Department Rtam, Akola.

Article Received on 15 October 2026,
Article Revised on 05 Nov. 2026,
Article Published on 16 Nov. 2026,

https://doi.org/10.5281/zenodo.24272226

***Corresponding Author**

***Dr. Akanksha Ramesh Raut**

3rd Year PG. Scholar, Rognidan Evum Vikriti Vigyan Department Rtam, Akola.

How to cite this Article: [1]*Dr. Akanksha Ramesh Raut, [2]Dr. Vipul kanani. (2026). Role of Avarana In Disease Etiopathogenesis: A Conceptual Review. World Journal of Pharmaceutical Research, 15(22), 222–232.
This work is licensed under Creative Commons Attribution 4.0 International license.

ABSTRACT

Background: Avarana is an important concept in Ayurveda that explains the obstruction of the normal Gati and Karma of Vata by another Dosha, Dhatu, Mala, or another subtype of Vata. It is described as one of the important mechanisms involved in the Samprapti of Vatavyadhi. **Aim:** To understand the role of Avarana in disease etiopathogenesis through a conceptual review of classical Ayurvedic literature. **Materials and Methods:** Classical Ayurvedic texts, particularly Charaka Samhita, Ashtanga Hridaya, and Sushruta Samhita, were reviewed along with selected published articles related to Avarana. The information was analyzed to understand its classification, pathogenesis, clinical manifestations, and relevance to selected disease conditions. **Results and Discussion:** Avarana explains the disturbance of Vata functions due to obstruction by another factor. Its manifestations depend on the Avaraka, the affected Vata, and the site of obstruction. Classical descriptions of Pitta-avrita Vata, Kapha-avrita Vata, and Rakta-avrita Vata illustrate the relationship between the obstructing factor and clinical features. Selected Vatavyadhi and metabolic conditions may be discussed in relation to this concept, provided their individual Samprapti is carefully assessed. **Conclusion:** Avarana provides an important framework for understanding obstruction-related Vata Vikriti. Identification of Avaraka, Avruta Vata, and associated Lakshana is essential for systematic Samprapti analysis and individualized Ayurvedic assessment.

KEYWORDS: Avarana, Avaraka, Avruta Vata, Vatavyadhi, Samprapti, Vata Gati, Etiopathogenesis, Margavarodha.

1. INTRODUCTION

Ayurveda explains health through the balanced functioning of Dosha, Dhatu, and Mala, along with the normal state of Agni and proper functioning of the body's Srotas. Disturbance of these factors due to various Nidana may lead to disease. The process through which a disease develops is known as Samprapti.

Vata Dosha plays an important role in maintaining movement and physiological activities in the body. Its normal Gati is essential for the proper functioning of different systems. When Vata becomes vitiated, it may produce various Vatavyadhi depending on the Dosha, Dhatu, Srotas, and Adhishthana involved.

Acharya Charaka describes two important mechanisms of Vata Prakopa: Dhatukshaya and Margavarodha. In Dhatukshaya, the diminution of Dhatu contributes to Vata aggravation, whereas Margavarodha involves obstruction of the normal pathway of Vata. Avarana is an important concept associated with this obstructive mechanism.[1]

In Avarana, the normal movement or function of Vata becomes restricted by another factor. This obstruction may alter the functions of the affected Vata and produce different clinical manifestations. The concept is described in detail in the Vatavyadhi Chikitsa Adhyaya of Charaka Samhita.[1]

Understanding Avarana is important because similar symptoms may develop through different pathological mechanisms. Therefore, the physician must identify the underlying Samprapti rather than considering every clinical manifestation as uncomplicated Vata Prakopa.

2. AIM AND OBJECTIVES

AIM

To study the role of Avarana in disease etiopathogenesis from an Ayurvedic perspective.

OBJECTIVES

1. To review the fundamental concept of Avarana in classical Ayurvedic texts.
2. To understand the concepts of Avaraka and Avruta Vata.

3. To study the classification of Avarana.
4. To analyze the role of Vata Gati and Karma in disease development.
5. To discuss selected disease conditions in relation to Avarana.
6. To understand the clinical importance of Avarana in Samprapti analysis.

3. MATERIALS AND METHODS

The present article is a conceptual review based on classical Ayurvedic literature and selected published articles. The principal classical sources included Charaka Samhita, Ashtanga Hridaya, and Sushruta Samhita, with particular attention to the descriptions of Vatavyadhi and Avarana. Selected articles discussing the classification, pathogenesis, and possible clinical interpretation of Avarana were also considered.[1,4]

4. CONCEPTUAL REVIEW OF AVARANA

Nirukti and Meaning of Avarana

The term Avarana generally denotes covering, obstruction, or restriction. In Ayurveda, it describes a pathological condition in which the normal Gati or Karma of Vata becomes obstructed by another factor.

Vata is responsible for different bodily movements and activities. When its normal movement becomes obstructed, the functions associated with the affected subtype may become impaired. The obstructing factor may be another Dosha, Dhatu, Mala, or another subtype of Vata.[1,2]

Thus, Avarana is not merely a description of physical blockage. It is also a concept used to explain the disturbance of normal Vata function and the resulting clinical manifestations.

Concept of Avaraka and Avruta

Avaraka: The factor that causes obstruction is known as Avaraka.

Avruta: The Vata or functional component whose normal movement or activity becomes obstructed is described as Avruta.

For example, in Pitta-avrita Vata, Pitta acts as the Avaraka, while the affected Vata is described as Avruta Vata. The clinical manifestations depend on the properties of the obstructing Dosha, the subtype of Vata involved, and the site of obstruction.[1]

Understanding this relationship is essential for interpreting the Samprapti of Avarana.

Importance of Vata Gati and Karma

Vata is classically divided into five principal subtypes: Prana, Udana, Vyana, Samana, and Apana Vayu. Each subtype performs specific functions in the body.[1,2]

- **Prana Vayu:** Associated with respiration, swallowing, and other vital functions.
- **Udana Vayu:** Associated with speech, effort, energy, and expression.
- **Vyana Vayu:** Associated with bodily movements and the distribution of activities throughout the body.
- **Samana Vayu:** Associated with digestion and the regulation of digestive activities.
- **Apana Vayu:** Associated with defecation, urination, and reproductive functions.

When the normal Gati of a particular subtype becomes obstructed, its Karma may be disturbed. Consequently, the clinical manifestations vary according to the subtype involved and the nature of the Avaraka.[1,2]

5. CLASSIFICATION OF AVARANA

The descriptions of Avarana in classical Ayurvedic literature can be organized according to the factor producing obstruction and the Vata affected. The following categories are useful for conceptual understanding.

1. Dosha Avarana

Dosha Avarana occurs when another Dosha obstructs the normal movement or function of Vata. Pitta-avrita Vata and Kapha-avrita Vata are important examples described in Charaka Samhita.[1]

Pitta Avarana: The classical description includes Daha, Trishna, Shula, Bhrama, and visual darkness. These features demonstrate the combined influence of Pitta and the affected Vata.[1]

Kapha Avarana: The classical description includes features such as Shaitya, Gaurava, and Shula, with a preference for Langhana, Ayasa, Ruksha, and Ushna. The presentation reflects the involvement of Kapha and the disturbed functions of Vata.[1]

These examples show that the clinical presentation of Avarana depends not only on Vata but also on the properties of the obstructing Dosha.

2. Dhatu Avarana

Dhatu Avarana occurs when a Dhatu interferes with the normal movement or activity of Vata. Classical descriptions include Rakta-avrita Vata and other forms of Dhatu-related obstruction.[1] In Rakta-avrita Vata, features may include burning sensation, pain, redness, swelling, and other changes described in the classical text.[1] These manifestations must be interpreted according to the complete clinical presentation rather than an isolated symptom.

3. Mala Avarana

Mala Avarana refers to obstruction associated with bodily waste products. When the normal functioning of Apana Vayu is affected, elimination may become disturbed. The assessment must consider the associated symptoms, Nidana, and other clinical findings. Constipation or difficulty in urination alone is not sufficient to establish Avarana. The complete Samprapti must be evaluated before assigning this classification.[1,2]

4. Anyonya Avarana

Anyonya Avarana refers to mutual obstruction between two subtypes of Vata. Since the five subtypes have different locations, directions, and functions, interference between their normal activities may produce complex clinical manifestations.[1,2] This concept highlights that Avarana may involve not only Vata and other bodily components but also the mutual interaction of different Vata subtypes.

6. ROLE OF AVARANA IN DISEASE ETIOPATHOGENESIS

The etiopathogenesis of Avarana can be understood through the relationship between Nidana, the obstructing factor, the affected Vata, and the resulting Lakshana.

1. Initiation by Nidana

The process begins with causative factors that disturb the normal balance of Dosha or other bodily components. Depending on the nature of the Nidana, a factor capable of obstructing Vata may become predominant.

For example, dietary and lifestyle factors that contribute to Kapha aggravation may be considered during the assessment of a patient with heaviness and reduced activity. However, the presence of such factors alone does not establish Kapha Avarana. The diagnosis requires an appropriate combination of Lakshana and Samprapti findings.[1,3]

2. Formation of Avaraka

The altered or aggravated Dosha, Dhatu, Mala, or another subtype of Vata may act as the Avaraka. Its properties and location influence the nature of the obstruction.

For example, the involvement of Pitta may be associated with Daha and Trishna, whereas Kapha involvement may be associated with Gaurava and Shaitya in the relevant classical descriptions.[1]

3. Obstruction of Vata Gati

The central event in Avarana is the obstruction of normal Vata Gati. The affected subtype may become unable to perform its normal functions adequately.

The resulting disturbance may involve movement, digestion, elimination, speech, or other functions, depending on the subtype and site involved.[1,2]

4. Manifestation of Lakshana

The clinical manifestations arise from the interaction between the Avaraka and Avruta Vata. Therefore, the symptoms may reflect both the properties of the obstructing factor and the impairment of the affected Vata.

For example, Pitta-avrita Vata is associated with burning sensation, thirst, pain, and giddiness in the classical description. These features illustrate how the obstructing factor modifies the clinical presentation.[1]

5. Progression of Disease

If the pathological process persists, the disturbance in Vata function may continue and the clinical manifestations may become more pronounced. The course of disease depends on the affected Vata, the site and extent of obstruction, the duration of the condition, and the overall strength of the patient.

Therefore, identifying Avarana during Samprapti analysis is important for understanding the underlying mechanism and planning an individualized approach.[1,3]

7. DISEASE EXAMPLES DISCUSSED IN RELATION TO AVARANA

The following examples illustrate the clinical context in which Avarana may be considered. Avarana should not be assumed to be the cause of every disease listed below. The classification must be supported by the individual patient's Lakshana and Samprapti.

1. Pakshaghata

Pakshaghata is described among the important Vatavyadhi and involves impairment of movement and function affecting one side of the body. Charaka Samhita discusses Pakshaghata in the context of Vata disorders.[1] During Ayurvedic assessment, the physician may evaluate whether the clinical presentation suggests an obstructive mechanism or another form of Vata Vikriti. However, Pakshaghata should not automatically be classified as Avarana because different pathological mechanisms may produce similar manifestations.

Modern clinical distinction: Sudden weakness or paralysis on one side of the body may indicate a stroke and requires immediate emergency medical evaluation. Ayurvedic assessment must not delay modern diagnosis or treatment.

2. Gridhrasi

Gridhrasi is a Vatavyadhi characterized by pain extending from the Sphik region towards the lower limb, with associated features described in classical literature.[1,2] The concept of Avarana may be considered only when the clinical assessment supports an obstruction-related disturbance of Vata. Every presentation of Gridhrasi should not be classified as Avarana, as the underlying Samprapti may differ.

Modern clinical comparison: Some presentations of Gridhrasi resemble sciatica, but the terms are not automatically interchangeable. Appropriate medical evaluation may be necessary to identify nerve-root compression or other causes of radiating pain.

3. Akshepaka

Akshepaka is described in Ayurvedic literature in relation to involuntary or spasmodic movements associated with Vata disturbance.[1,2] An Avarana-based interpretation may be explored when the patient's clinical features support such a mechanism. However, involuntary movements can arise from several different conditions, and Avarana cannot be established solely from the presence of spasms.

Modern clinical distinction: Seizures, tetany, and other movement disorders require appropriate medical assessment.

4. Madhumeha and Metabolic Disorders

The relationship between Avarana and metabolic disorders has been discussed in Ayurvedic literature, particularly in relation to Kapha, Meda, and Vata. Some researchers reviewed the possible interpretation of Avarana in metabolic syndrome and its relationship to conditions such as obesity and altered glucose regulation.[4] This interpretation provides a conceptual framework for examining selected metabolic manifestations through Ayurvedic principles. However, metabolic syndrome and diabetes mellitus are complex biomedical conditions and must be diagnosed according to established clinical criteria. The proposed relationship does not establish Avarana as a proven biomedical mechanism or the sole cause of these conditions.

5. Amavata

Amavata is described in Ayurveda in relation to Ama and Vata, with manifestations that may include joint pain, stiffness, heaviness, and impaired movement. Madhava Nidana describes the disease-specific features and etiological framework of Amavata.[5]

Although some manifestations may involve restricted movement or functional disturbance, Amavata should not automatically be classified as Avarana. Its characteristic Samprapti involving Ama and Vata must be evaluated separately.

In rheumatoid arthritis, modern pathology involves immune-mediated synovial inflammation and may result in progressive joint damage. A conceptual comparison between selected symptoms and Avarana does not establish that Avarana causes rheumatoid arthritis or that the two concepts are equivalent.

6. Vatarakta

Vatarakta is a distinct Ayurvedic disease involving Vata and Rakta. Classical descriptions include pain and other local manifestations, depending on the stage and presentation of the disease.[6]

The interaction between Vata and Rakta is important in understanding its Samprapti. However, Vatarakta should not universally be classified as Avarana because its classical pathogenesis includes disease-specific factors that require separate assessment. Some

manifestations may resemble gout or other inflammatory arthropathies, but a modern diagnosis requires appropriate clinical evaluation and investigations.

8. CLINICAL IMPORTANCE OF AVARANA

1. Identification of the Underlying Samprapti

Avarana encourages the physician to investigate why normal Vata functions have become disturbed. The assessment should include the possible Avaraka, affected Vata, site of obstruction, and associated Lakshana.[1,3]

2. Differentiation of Pathological Mechanisms

Similar symptoms may arise from different mechanisms. Understanding Avarana helps the physician avoid treating every Vata-related presentation as the same pathological condition.

3. Individualized Assessment

The nature of the Avaraka, affected Vata, associated Dosha and Dhatu, clinical manifestations, and disease stage should be considered together. This approach supports a more systematic interpretation of Samprapti.[1,3]

4. Treatment Planning

Classical discussions emphasize that the management of Avarana must account for the obstructing factor and the affected Vata. Therefore, treatment principles appropriate for uncomplicated Vata aggravation may not be suitable in every obstructive presentation.[1] Specific treatment should be selected by a qualified Ayurvedic physician after appropriate assessment.

5. Integration with Modern Clinical Assessment

When patients present with paralysis, seizures, severe joint inflammation, radiating pain, or metabolic abnormalities, appropriate modern medical evaluation may be necessary. Ayurvedic Samprapti analysis may be studied alongside modern clinical assessment, but it should not replace established diagnostic procedures or delay urgent treatment.

9. DISCUSSION

Avarana is an important concept in Ayurvedic pathophysiology that explains the disturbance of normal Vata Gati and Karma due to an obstructing factor. Acharya Charaka describes Avarana in the context of Vatavyadhi and explains its importance in understanding different patterns of Vata Vikriti.[1] The concepts of Avaraka and Avruta are central to the Samprapti

of Avarana. Avaraka is the factor responsible for obstruction, whereas Avruta Vata is the Vata whose normal movement or function becomes restricted. The clinical presentation depends on the nature of the Avaraka, the subtype of Vata involved, and the site of obstruction.[1,2] The classical descriptions of Pitta-avrita Vata, Kapha-avrita Vata, and Rakta-avrita Vata illustrate that the clinical features of Avarana are influenced by the properties of the obstructing factor. For example, burning sensation and thirst are described in Pitta-avrita Vata, while heaviness and coldness are among the features described in relation to Kapha-avrita Vata.[1] These descriptions support the importance of identifying the Avaraka rather than assessing Vata in isolation.

The concept may also be considered while interpreting selected clinical conditions. In Pakshaghata, Gridhrasi, and Akshepaka, the affected functions of Vata require careful assessment. However, the presence of paralysis, radiating pain, or involuntary movements alone is not sufficient to establish Avarana. Each condition may have different pathological mechanisms and requires an appropriate clinical evaluation.[1,2]

The possible relationship between Avarana and metabolic disorders has also been discussed in the literature.[4] This provides an area for further conceptual and clinical investigation, but it should not be interpreted as proof that Avarana is the established cause of metabolic syndrome or diabetes mellitus.

Similarly, Amavata and Vatarakta have their own disease-specific Samprapti. Their clinical manifestations should not automatically be attributed to Avarana merely because they involve pain, stiffness, inflammation, or altered movement.[5,6] From a clinical perspective, the assessment of Avarana should include the relevant Nidana, nature of the Avaraka, affected subtype of Vata, associated Lakshana, and site of involvement. This approach supports a systematic understanding of the disease process and helps in selecting individualized Ayurvedic treatment principles.

Thus, the importance of Avarana lies in its ability to explain a particular mechanism of Vata Vikriti. Its clinical application requires careful interpretation of classical descriptions, differentiation from other pathological mechanisms, and appropriate use of modern diagnostic methods where indicated.

10. CONCLUSION

Avarana is an important clinical concept in Ayurveda that may be considered during the assessment of various disease conditions. Every patient should be evaluated individually, with careful consideration of the underlying Samprapti, including Gatavata, Avarana Vata, Amavata, and the involvement of Anubandha Dosha, wherever applicable. Avarana represents a disturbance in the normal Gati and Karma of Vata, which may occur due to the influence of other Dosha or the altered movement of another subtype of Vata. Despite its clinical significance, Avarana may remain unidentified because its recognition requires meticulous clinical assessment and a thorough understanding of Ayurvedic principles. Accurate identification of the Avruta Dosha and Avaraka factor is essential for understanding the underlying pathogenesis and selecting appropriate, individualized treatment principles. Thus, a comprehensive understanding of Avarana can improve Samprapti analysis and may contribute to more encouraging clinical outcomes.

REFERENCES

1. Agnivesha. *Charaka Samhita*. Revised by Charaka and Dridhabala, with Ayurveda Dipika commentary of Chakrapanidatta. Yadavji Trikamji Acharya, editor. Varanasi: Chaukhambha Surbharati Prakashan; 2018. Chikitsa Sthana, Chapter 28, Vatavyadhi Chikitsa Adhyaya, verses 59–65.
2. Vagbhata. *Ashtanga Hridaya*. With Sarvangasundara commentary of Arunadatta and Ayurveda Rasayana commentary of Hemadri. Harishastri Paradakara Vaidya, editor. Varanasi: Chaukhambha Orientalia,l 2011; Relevant sections on Vata and Vatavyadhi.
3. Bhalerao P, Chauhan A, Kasat Y. Classification, causes, pathogenesis and Ayurveda management of Avarana. *Himalayan J Health Sci*., 2023; 8(4): 4–6. doi:10.22270/hjhs.v8i4.182.
4. Priya S, Shajahan MA. A review on the role of Avarana (occlusion of body channels) in metabolic syndrome. *Int J Ayurveda Pharm Res*., 2017; 5(6). Available from: https://ijapr.in/index.php/ijapr/article/view/674.
5. Madhavakara. *Madhava Nidana* with Madhukosha commentary of Vijayarakshita and Srikantadatta. Yadunandana Upadhyaya, editor. Varanasi: Chaukhambha Prakashan. Chapter 25, Amavata Nidana.
6. Sushruta. *Sushruta Samhita* with Nibandhasangraha commentary of Dalhana. Yadavji Trikamji Acharya, editor. Varanasi: Chaukhambha Orientalia, 2014; Nidana Sthana, Chapter 1, Vatarakta Nidana.