

SHOOLA: A CONCEPTUAL REVIEW WITH CONTEMPORARY CORRELATION

Dr. Keerthi P. V.*

Assistant Professor Department of Roganidana, Vishnu Ayurveda College Shoranur, Kerala.

Article Received on 14 Sept. 2026,
Article Revised on 03 Oct. 2026,
Article Published on 16 Oct. 2026,

<https://doi.org/10.5281/zenodo.23365803>

*Corresponding Author

Dr. Keerthi P. V.

Assistant Professor Department of
Roganidana, Vishnu Ayurveda
College Shoranur, Kerala.



How to cite this Article: Dr. Keerthi P. V.*.
(2026). Shoola: A Conceptual Review with
Contemporary Correlation. World Journal of
Pharmaceutical Research, 15(20), 100–110.

This work is licensed under Creative Commons
Attribution 4.0 International license.

ABSTRACT

Background: Shoola is an important clinical concept described in Ayurvedic classics and is predominantly characterized by severe pain. Although the term is frequently associated with abdominal pain, classical literature describes Shoola at different anatomical sites and in association with different Doshas and pathological processes. **Materials and Methods:** A conceptual review was conducted based on the classical Ayurvedic references and contemporary correlations. The information was systematically analyzed under the domains of definition, classification, etiological factors, Dosha involvement, Samprapti, Lakshana, Upashaya and Sadhyasadyata. **Discussion:** Shoola is described in Ayurvedic classics as severe, sharp or stabbing pain, sometimes compared with the

sensation of being pierced by a pointed object. Vata is considered the predominant Dosha in the pathogenesis, with Pitta, Kapha and Ama contributing according to the type. Dietary errors, improper lifestyle, suppression of natural urges, psychological factors and Agnidushti are important etiological factors. The clinical descriptions show similarities with several contemporary conditions including intestinal colic, gastritis, peptic ulcer disease, gastroparesis, pleurisy, angina, urinary obstruction and rectal pain. **Conclusion:** Assessment based on Dosha, Agni, Ama, anatomical site, relation with digestion, associated symptoms and Upashaya provides a systematic approach to understanding the condition soola. Contemporary correlations may help in interpreting the clinical significance of the classical descriptions.

KEYWORDS: Shoola, Vata, Parinama Shoola, Annadrava Shoola.

INTRODUCTION

Shoola is an important clinical entity described in Ayurvedic literature. The word *Shoola* is derived from the root “Shool”, which conveys meanings such as pain, illness, piercing and impalement. In clinical usage, Shoola generally denotes severe or sharp pain. Although it is often used to indicate abdominal pain, the term may be associated with different anatomical sites, such as *Shirashoola*, *Udarashoola*, *Bastishoola*, *Parshwa Shoola*, *Kukshi Shoola* and *Hrit Shoola*. The characteristic nature of Shoola is described through the analogy of piercing by a pointed object. Sushruta explains the intense pain experienced by the patient as similar to being pierced by a nail or sharp instrument.^[1] Shoola is also described as occurring independently of Gulma, although it develops in the anatomical locations where Gulma may occur.^[2]

The concept has been discussed differently by various Ayurvedic authors. Harita Samhita is mentioned as an early text describing and classifying Shoola, while Madhava Nidana provides an elaborate description of *Parinama Shoola*. Sushruta describes Shoola as a separate disease entity, whereas Ashtanga Sangraha and Ashtanga Hridaya mention the term without establishing it as an independent disease entity. Kashyapa Samhita also mentions Shoola in relation to Amlapitta.

The classical descriptions demonstrate that Shoola is not merely a symptom occurring in one disease but a clinical concept that can be understood according to Dosha predominance, anatomical site, relationship with digestion and associated pathological processes.

The present review attempts to compile the classical concept of Shoola and examine the contemporary clinical conditions that may resemble the various presentations described in Ayurvedic literature.

MATERIALS AND METHODS

The present work is a conceptual review on Shoola with respect to the classical references, Ayurvedic concepts and contemporary correlations

The review was carried out under the following headings:

1. Nirukti and definition of Shoola
2. Historical references in Ayurvedic classics
3. Classification of Shoola
4. Nidana and Dosha involvement

5. Samprapti
6. Clinical manifestations
7. Contemporary clinical correlation
8. Sadhyasadhyata
9. Chikitsa.

Nirukti of Shoola

The term Shoola denotes severe pain, particularly pain having a sharp, stabbing or piercing character. Sushruta's description emphasizes the intensity of the pain by comparing it to the sensation of being pierced by a pointed object as if the nail is being pierced in. An important feature of the classical concept is that Shoola can occur without Gulma, despite occurring in the same anatomical regions.

Classification

Different Ayurvedic texts have classified Shoola according to different criteria.

Madhava Nidana describes eight varieties.

- Vataja
- Pittaja
- Kaphaja
- Vata-Pittaja
- Vata-Kaphaja
- Kapha-Pittaja
- Sannipataja
- Amaja.

Madhava Nidana further describes Parinama Shoola and Annadrava Shoola, while Sarngadhara also discusses Parinama Shoola and Annadrava-related varieties.

Kashyapa Samhita describes four major varieties—Vataja, Pittaja, Kaphaja and Sannipataja. Sushruta classified Shoola according to anatomical site, including *Parshwa*, *Kukshi*, *Hrit*, *Basti*, *Mootra* and *Vit Shoola*.

Madhava Nidana and Kashyapa emphasize the relationship of Shoola with digestion.

The different approaches to classification may be understood based on the clinical perspective of the respective authors.

Sushruta's classification is predominantly site-oriented, while Madhava Nidana and Kashyapa provide greater emphasis to the digestive relationship and Dosha involvement.

Nidana

The etiological factors of Shoola include improper diet, irregular eating habits, improper lifestyle, suppression of natural urges and psychological disturbances.^[3]

Important aharaja nidanas include.

- Atibhojana
- Ajeerna
- Adhyashana
- Viruddha Ahara
- Vishama Ahara
- Pishtanna
- Rooksha Ahara
- Shushka Mamsa
- Rooksha Dhanya.

Various viharaja nidanas such as ati vyayama, ayasa, ati prasanga, yana yanat, nisi jagarana, atibhara gatidhavana, srama vishama shayana, suppression of natural urges, especially Vata, Mutra and Purisha Vegadharana, is also emphasized. Improper daily and sleep routines may further contribute to the pathogenesis.

Manasika nidana such as Kshobha, Trasa and Shoka are also described. Therefore, the Nidana of Shoola demonstrates an interaction between aharaja viharaja and manasika nidana.

Dosha Involvement and Samprapti

Although Shoola can involve all three Doshas, Vata has a central role in its pathogenesis. The classical description states that aggravated Vata in the Koshta produces severe Shoola.^[4]

Depending upon the associated Dosha and pathological factors, Pitta, Kapha and Ama may contribute to the manifestation.

Vataja Shoola

Vataja Shoola is characterized by recurrent pain, severe pain in the absence of food, abdominal distension and difficulty in the passage of urine and feces. Pain may be relieved by Vata-pacifying measures including swedana, abhyanga, mardana and snigdha-ushna Ahara.^[5]

The contemporary correlations include intestinal motility disorders, colicky pain and functional abdominal pain. Abnormal intestinal contractions can lead to abdominal distension, recurrent obstruction, colicky pain and constipation.

Pittaja Shoola

Pittaja Shoola is associated with Pitta-provoking ahara vihara. The characteristic features include Daha, Trishna, nausea, sweating, dizziness and burning-type pain. It is aggravated particularly during Madhyahna, Ardharatri, digestion and Vidaha Kala and is relieved by cooling measures and cooling food and relieved by usage of madhura seeta ahara and in seetakala also.^[6]

It can be correlate with gastritis and peptic ulcer disease. Gastritis may present with abdominal pain, nausea, bloating, vomiting, indigestion and burning or gnawing epigastric discomfort.

Kaphaja Shoola

Kaphaja Shoola is associated with Kapha-provoking foods and impaired digestion. The clinical features include Hrillasa, Aruchi, excessive salivation, heaviness, fullness of the abdomen and impaired gastrointestinal motility. Pain is particularly described after food intake.

The possible contemporary parallels such as gastroparesis and gastrointestinal stasis. Gastroparesis may manifest as abdominal bloating, early satiety, postprandial fullness, nausea, vomiting and constipation.

Sannipataja and Amaja Shoola

Sannipataja Shoola presents with manifestations of all three Doshas and is considered a severe form. Vascular disturbances and perforation are discussed as serious contemporary conditions that may present with severe pain and require urgent evaluation and it is surgical emergency condition.

Amaja Shoola is associated with Agnimandya and reduced intestinal motility. Symptoms include abdominal distension, nausea, vomiting, heaviness, anorexia and constipation.

Parinama Shoola

Parinama Shoola is an important variety described by Madhava Nidana. Its characteristic feature is the occurrence of pain in relation to the process of digestion. The classical description explains the involvement of Vata associated with Kapha and Pitta and highlights the role of Avarana.^[7]

Due to the repeated exposure to Nidana, vata dushti occurs and the dislodged kapha combines with pitta initiates the avarana with vata.

The relationship between this pathological sequence and Amlapitta/Vidagdha Pitta, highlighting the importance of Agni and Ama in the development of Parinama Shoola.

The clinical features of Parinama soola can be correlated with duodenal ulcer as the pain subsides on food intake.

Annadrava Shoola

Annadrava Shoola is characterized by pain occurring during digestion, after digestion or even in a state of indigestion. The pain is described as persisting irrespective of whether food is appropriately or inappropriately consumed.^[8]

It can be correlated with gastric ulcer because of the food pain pattern.

Thus, the relationship between food intake, digestion and pain becomes an important clinical feature for differentiating Parinama Shoola and Annadrava Shoola.

Site-Specific Shoola and Contemporary Correlation

Sushruta's site-based classification provides an important clinical perspective.

Parshwa Shoola

Parshwa Shoola is described in association with Kapha and Vata and may present with abdominal distension, abnormal bowel sounds, stabbing pain and difficulty in breathing.^[9]

Contemporary correlations mentioned include pleurisy, urinary calculi and spasmodic colonic pain.

Kukshi Shoola

Kukshi Shoola is associated with Vata and Ama, Agnimandya and retention of improperly digested food leads to the formation of amasakrit. The patient does not get any relief on sitting, standing or lying down postures.^[10] Contemporary correlations include intestinal colic, early intestinal obstruction and functional or spasmodic pain.

Hrit Shoola

Hrit Shoola is described as severe pain involving the cardiac region and is associated with Vata and rasa. The aggravated vata obstructs the kapha and pitta then mixes with vitiated rasa. The sthanasamsraya occurs in the hridaya leading to hritsoola.^[11] Angina pectoris and pericarditis are the possible contemporary clinical correlations.

Vasti Shoola

Vasti Shoola is associated with Vata aggravation and obstruction in the urinary bladder region. Pain may involve the Vasti, Vankshana and Nabhi and may be associated with obstruction to urine, feces and flatus.^[12] Conditions such as Ashmari and Mutraghata are mentioned in association. Obstruction of the urinary bladder results in dull suprapubic pain. The three most common causes of bladder pain are interstitial cystitis, urinary tract infection, and bladder cancer.

Mootra Shoola

Mootra Shoola is associated with Vata aggravation and obstruction to urinary flow. Pain may involve the Nabhi, Vankshana, Parshwa and Kukshi.^[13] Contemporary conditions discussed include urinary calculi, urethral obstruction, pelvic tumors and urinary tract pathology.

Vit Shoola

Vit Shoola is associated with Rooksha Ahara, Vata Prakopa, obstruction of mala leading to Agnimandya and sroto avarana. Severe abdominal pain, thirst, dizziness and persistence of pain despite evacuation are described.^[14] Contemporary correlations include sigmoid or rectal obstruction and proctalgia fugax.

Upashaya-Based Analysis

The classical symptomatology provides useful distinguishing features among the Dosha-specific varieties.

Vataja Shoola is associated with Adhmana, Atopa, constipation and difficulty in passing urine and feces, whereas Pittaja Shoola is characterized by Trishna and Daha. Kaphaja Shoola is associated with Chardi, Hrillasa and heaviness.

The Upashaya also varies according to Dosha.

- **Vataja:** Snigdha and Ushna measures
- **Pittaja:** Sheeta measures
- **Kaphaja:** Katu and Tikta measures.

These differences provide a practical clinical framework for identifying Dosha predominance.

Sadhyasadyata

The prognosis depends upon the number of Doshas involved and the presence of complications.

- Ekadoshaja – Sadhya
- Dwidoshaja – Krichrasadhya
- Sarvadoshaja or Upadravayukta – Asadhya.

This emphasizes the importance of early diagnosis and identification of complications.

Chikitsa

The management of Shoola is based on the underlying Dosha, Ama status, Agni and anatomical site. General measures mentioned include Vamana, Langhana, Swedana, Pachana, Phalavarti, Kshara preparations, Churna and Gutika. Swedana is specifically described as beneficial for alleviating Shoola.

For Parinama Shoola, the classical management described includes Vamana, Virechana with tikta madhura rasa oushadha and Basti, depending on the clinical condition. When Ama persists, Amapachana is recommended initially, followed by appropriate Dosha management.

Site-specific management includes different approaches for Parshwa, Kukshi, Hrit, Vasti, Mootra and Vit Shoola. The treatment principles emphasize Dosha Shamana, Agni correction, Srotoshodhana, Vatanulomana and management of obstruction according to the individual presentation.

DISCUSSION AND CONCLUSION

Shoola is a comprehensive clinical concept in Ayurveda characterized primarily by severe pain and encompassing different anatomical sites, Dosha predominance and relationships with digestion. The classical literature provides multiple approaches to its classification, including Dosha-based, site-based and digestion-related classifications.

Vata occupies a central position in the pathogenesis of Shoola, while Pitta, Kapha and Ama contribute according to the specific variety. Dietary errors, improper lifestyle, suppression of natural urges, psychological factors and Agnidushti are important components of its samprapti.

The descriptions of Vataja, Pittaja, Kaphaja, Sannipataja, Amaja, Parinama and Annadrava Shoola provide clinically useful information regarding the nature of pain, aggravating factors, relieving factors and associated symptoms. The site-specific descriptions of Parshwa, Kukshi, Hrit, Vasti, Mootra and Vit Shoola further demonstrate the breadth of the concept.

The contemporary correlations suggest similarities between classical descriptions and conditions such as intestinal colic, gastritis, peptic ulcer disease, gastroparesis, pleurisy, angina, urinary obstruction and rectal pain. However, these correlations should be regarded as clinical parallels rather than direct equivalences.

A comprehensive evaluation of Nidana, Dosha, Agni, Ama, anatomical site, relation with food and digestion, associated symptoms and Upashaya may therefore provide a systematic approach to understanding Shoola. At the same time, severe or acute pain should always be evaluated for potentially serious underlying pathology requiring appropriate contemporary diagnostic and emergency care.

REFERENCES

1. Vaidhya Yadavaji Trikamji Acharya edited Susruta's Susruta Samhita Uttara tantra with Nibandhasangraha commentary chapter 42, sloka, 81, reprint 2017, Chawkamba Sanskrit series Varanasi: 723.
2. Vaidhya Yadavaji Trikamji Acharya edited Susruta's Susruta Samhita Uttara tantra with Nibandhasangraha commentary chapter 42, sloka, 76, reprint 2017, Chawkamba Sanskrit series Varanasi: 723.

3. Vaidhya Yadavaji Trikamji Acharya edited Susruta's Susruta Samhita Uttar tantra with Nibandhasangraha commentary chapter 42, sloka, 78, reprint 2017, Chawkamba Sanskrit series Varanasi: 723.
4. Vaidhya Yadavaji Trikamji Acharya edited Susruta's Susruta Samhita Uttara tantra with Nibandhasangraha commentary chapter 42, sloka, 80, reprint 2017, Chawkamba Sanskrit series Varanasi: 723.
5. Prof .Yadunadana Upadhyaya edited. Srivijayarakshita and Srikanthadatta. Madhu kosa vyakhya. Madava nidana. Chapter 26. sloka. 5. In: Reprint 2008. vol 1. Varanasi: Chaukambha Prakashan; 514.
6. Prof .Yadunadana Upadhyaya edited. Srivijayarakshita and Srikanthadatta. Madhu kosa vyakhya. Madava nidana. Chapter 26. sloka. 8. In: Reprint 2008. vol 1. Varanasi: Chaukambha Prakashan; 517.
7. Prof .Yadunadana Upadhyaya edited. Srivijayarakshita and Srikanthadatta. Madhu kosa vyakhya. Madava nidana. Chapter 26. sloka. 16. In: Reprint 2008. vol 1. Varanasi: Chaukambha Prakashan; 521.
8. Prof .Yadunadana Upadhyaya edited. Srivijayarakshita and Srikanthadatta. Madhu kosa vyakhya. Madava nidana. Chapter 26. sloka. 22. In: Reprint 2008. vol 1. Varanasi: Chaukambha Prakashan; 522.
9. Vaidhya Yadavaji Trikamji Acharya edited Susruta's Susruta Samhita Uttara tantra with Nibandhasangraha commentary chapter 42, sloka, 119, reprint 2017, Chawkamba Sanskrit series Varanasi: 725.
10. Vaidhya Yadavaji Trikamji Acharya edited Susruta's Susruta Samhita Uttara tantra with Nibandhasangraha commentary chapter 42, sloka, 123, reprint 2017, Chawkamba Sanskrit series Varanasi: 725.
11. Vaidhya Yadavaji Trikamji Acharya edited Susruta's Susruta Samhita Uttara tantra with Nibandhasangraha commentary chapter 42, sloka, 131, reprint 2017, Chawkamba Sanskrit series Varanasi: 726.
12. Vaidhya Yadavaji Trikamji Acharya edited Susruta's Susruta Samhita Uttara tantra with Nibandhasangraha commentary chapter 42, sloka, 134, reprint 2017, Chawkamba Sanskrit series Varanasi: 726.
13. Vaidhya Yadavaji Trikamji Acharya edited Susruta's Susruta Samhita Uttara tantra with Nibandhasangraha commentary chapter 42, sloka, 135, reprint 2017, Chawkamba Sanskrit series Varanasi: 726.

14. Vaidhya Yadavaji Trikamji Acharya edited Susruta's Susruta Samhita Uttara tantra with Nibandhasangraha commentary chapter 42, sloka, 139, reprint 2017, Chawkamba Sanskrit series Varanasi: 726.