

IMPORTANCE OF QUALITY CONTROL EXAMINATION IN AYURVEDIC DRUGS: A REVIEW

Dr. Dipshikha Rakhunde*

Associate Professor, Dravyaguna Vigyana, Shri Ayurved Mahavidyalaya, Nagpur.

Article Received on 15 Sept. 2026,
Article Revised on 05 Oct. 2026,
Article Published on 16 Oct. 2026,

<https://doi.org/10.5281/zenodo.23384957>

*Corresponding Author

Dr. Dipshikha Rakhunde

Associate Professor, Dravyaguna
Vigyana, Shri Ayurved
Mahavidyalaya, Nagpur.



How to cite this Article: Dr. Dipshikha Rakhunde*. (2026). Importance of Quality Control Examination In Ayurvedic Drugs: A Review. World Journal of Pharmaceutical Research, 15(20), 617–625.

This work is licensed under Creative Commons Attribution 4.0 International license.

ABSTRACT

Introduction: Ayurvedic medicines are prepared from a wide range of botanical, mineral, metallic and animal-derived substances and are used in various dosage forms. Their quality can be influenced by the identity and source of raw materials, cultivation and collection practices, processing methods, storage conditions, manufacturing procedures and packaging. Quality control examination is therefore essential to establish the identity, purity, strength, safety and consistency of Ayurvedic drugs.

KEYWORDS: Ayurveda, Ayurvedic drugs, quality control, standardization, pharmacopoeia, GMP, pharmacognosy, safety, authentication, herbal medicines.

1. INTRODUCTION

Ayurveda is one of the traditional systems of medicine with a long history of using medicinal plants, minerals, metals and other natural substances for prevention and management of disease. Ayurvedic formulations include diverse dosage forms such as Swarasa, Kalka, Kwatha, Hima, Phanta, Churna, Vati, Guggulu preparations, Asava-Arishta, Avaleha, Sneha preparations, Arka, Bhasma, Pishti and other formulations.

The therapeutic quality of an Ayurvedic medicine depends not only on its formulation but also on the quality of its ingredients and manufacturing process. Medicinal plants may vary according to species, geographical origin, season, age, cultivation practices, collection time and storage conditions. Substitution, adulteration, contamination and deterioration can further affect the quality of raw materials.

2. AIM

To review the importance, principles and major components of quality control examination of Ayurvedic drugs and to highlight their role in ensuring identity, purity, safety, consistency and therapeutic quality.

3. OBJECTIVES

To describe the concept and significance of quality control in Ayurvedic medicines.

To explain the importance of authentication of Ayurvedic raw drugs.

To review organoleptic, macroscopic and microscopic examinations.

To discuss physicochemical and phytochemical quality-control parameters.

To highlight the importance of quality control in improving safety, consistency and public confidence in Ayurvedic medicines.

To identify challenges and future opportunities in Ayurvedic drug standardization.

4. MATERIALS AND METHODS

The present work was designed as a narrative review on quality-control examination of Ayurvedic drugs.

Quality control of Ayurvedic or herbal medicines.

Authentication and identification of medicinal plants.

Pharmacopoeial standards.

GMP requirements.

Physicochemical evaluation.

Phytochemical and chromatographic standardization.

Microbial quality.

Heavy metals and other contaminants.

Stability and storage of herbal medicines.

Data synthesis

The available information was organized into major quality-control domains and interpreted descriptively. Since this was a narrative review and did not involve human participants or experimental groups, sample size, intervention groups and inferential statistical tests were not applicable.

- **Authentication of raw materials**

Correct identification of raw drugs is the first and most fundamental step in quality control.

Raw materials should be examined for:

Correct botanical identity.

Correct plant part.

Morphological characteristics.

Organoleptic characteristics.

Macroscopic characters.

Microscopic characters.

Presence or absence of adulterants.

Appropriate geographical and seasonal considerations.

- **Importance**

Authentication helps to:

Prevent substitution.

Detect adulteration.

Establish botanical identity.

Maintain batch-to-batch consistency.

Support reproducibility of the finished formulation.

- **ORGANOLEPTIC AND MACROSCOPIC EXAMINATION**

Organoleptic examination includes assessment using the senses and basic observation.

Important parameters include:

Colour

Odour

Taste

Shape

Size

Surface

Texture

Fracture

Consistency

External markings

For example, crude drugs may possess characteristic colour, odour or fracture patterns.

Changes can indicate deterioration, incorrect storage, adulteration or processing problems.

Macroscopic examination is particularly useful as a rapid preliminary quality-control procedure.

- **MICROSCOPIC EXAMINATION**

Microscopic examination is particularly important for powdered and fragmented plant drugs where macroscopic identification becomes difficult.

Important microscopic characters may include

Epidermal cells

Stomata

Trichomes

Fibres

Vessels

Calcium oxalate crystals

Starch grains

Oil glands

Secretory structures

Stone cells

Cork cells

Parenchymatous tissues

Microscopy can help identify characteristic diagnostic structures and detect foreign plant material.

Therefore, macroscopic and microscopic examination together provide an important pharmacognostical basis for authentication.

- **PHYSICOCHEMICAL EVALUATION**

Physicochemical tests provide measurable parameters that help establish consistency and purity.

Important parameters include

1. Moisture content: Excessive moisture can encourage microbial growth and deterioration of plant material.
2. Values: Ash values provide information about inorganic matter.

They may include: Total ash, Acid-insoluble ash, Water-soluble ash, these parameters

may help detect excessive extraneous matter or contamination.

3. Extractive values: Water-soluble and alcohol-soluble extractive values can provide information about the amount of soluble constituents extracted by particular solvents.
4. pH: pH may be important for aqueous and certain semisolid or liquid preparations and can contribute to batch consistency.
5. Specific gravity: This may be useful for liquid preparations.
6. Refractive index: It may be useful in the assessment of certain oils and liquid preparations.
7. Volatile oil content: For aromatic drugs and essential-oil-containing materials, volatile-oil determination may contribute to quality assessment.

• PHYTOCHEMICAL AND CHEMICAL STANDARDIZATION

Ayurvedic medicines may contain numerous constituents rather than a single active pharmaceutical ingredient. Consequently, quality control may require a combination of marker-based testing, chromatographic fingerprints and other analytical approaches.

Common techniques include

Thin-layer chromatography (TLC)

High-performance thin-layer chromatography (HPTLC)

High-performance liquid chromatography (HPLC)

Gas chromatography (GC)

Liquid chromatography–mass spectrometry (LC-MS)

Gas chromatography–mass spectrometry (GC-MS)

Ultraviolet-visible spectroscopy

Infrared spectroscopy

Nuclear magnetic resonance spectroscopy in advanced research settings

Fingerprinting

Chromatographic fingerprinting can help compare batches and detect major differences in chemical profiles.

Marker compounds

Marker compounds may be used to establish identity or monitor consistency. However, the presence of a marker should not automatically be interpreted as proof of the complete therapeutic efficacy of a complex Ayurvedic formulation.

- **MICROBIOLOGICAL QUALITY CONTROL**

Medicinal plant materials can become contaminated during cultivation, collection, transportation, processing and storage.

Microbiological examination may include assessment of: Total bacterial count., total fungal count., specified microorganisms where applicable., absence or acceptable limits of pathogenic organisms.

- **CONTAMINANT AND ADULTERANT ANALYSIS**

- **1 Heavy metals:** Some Ayurvedic medicines intentionally contain processed mineral or metallic ingredients. However, appropriate quality control is necessary to distinguish intended ingredients prepared according to established procedures from unintended contamination or excessive exposure.

Depending on the formulation and applicable standards, analysis may involve elements such as: Lead, Arsenic, Mercury, Cadmium

Modern analytical techniques such as atomic absorption spectroscopy, ICP-OES and ICP-MS may be used in appropriate laboratories.

2 Pesticide residues: Medicinal plants may be exposed to agricultural chemicals. Assessment of pesticide residues can therefore be important, particularly for plant-derived raw materials.

3 Aflatoxins: Improper storage of plant materials may encourage fungal contamination and aflatoxin formation.

4 Foreign matter: Foreign matter may include: Soil, stones, insects, other plant parts, unwanted botanical material.

- **QUALITY CONTROL OF DIFFERENT AYURVEDIC DOSAGE FORMS**

Quality-control parameters should be selected according to the dosage form.

- 1) Churna: Identity, microscopy, moisture, ash, extractive value, microbial quality
- 2) Vati/Gutika: Appearance, weight variation, hardness where applicable, disintegration, identity and assay/marker profile where applicable
- 3) Asava-Arishta: Alcohol content, pH, specific gravity, sugar/reducing substances where applicable, microbial quality and chemical profile
- 4) Taila: Organoleptic characteristics, specific gravity, refractive index, acid value, saponification value and other applicable parameters

- 5) Ghrita: Organoleptic characteristics, moisture, rancidity-related parameters and relevant chemical tests
- 6) Avaleha: Moisture, consistency, pH where appropriate, microbial quality and relevant physicochemical parameters
- 7) Bhasma: Classical physical tests plus appropriate modern analytical examination for identity, purity and elemental composition
- 8) Kwatha preparations: Appearance, pH where applicable, microbial quality, extractive/chemical profile and stability considerations

The exact specifications should always be based on the applicable official monograph, approved specification or validated method rather than applying one universal test panel to every Ayurvedic preparation.

• **IN-PROCESS QUALITY CONTROL**

Important stages include: Receipt of raw material, authentication, cleaning and processing, storage, pulverization, extraction/decoction, bhavana or trituration where applicable, mardana where applicable.

• **GOOD MANUFACTURING PRACTICES AND QUALITY CONTROL**

Good Manufacturing Practices provide the organizational framework within which quality control operates.

The purpose is to ensure that: Raw materials are authentic, manufacturing procedures are controlled, contamination is minimized, appropriate quality tests are performed, manufacturing records are maintained, finished products meet applicable specifications, complaints and adverse reactions can be investigated.

• **STABILITY AND STORAGE**

Quality can change after manufacture.

Factors affecting Ayurvedic drugs include: Temperature, Humidity, Light, Oxygen, Packaging material, Microbial contamination, Repeated opening of containers, Duration of storage

• **DISCUSSION**

Ayurvedic drugs are frequently complex mixtures. Unlike conventional synthetic medicines where one defined active pharmaceutical ingredient may dominate quality assessment, many

herbal formulations contain numerous naturally occurring constituents. Therefore, a single analytical test is generally insufficient to establish their overall quality.

The first level of quality control is correct identification of the raw material. Pharmacognostical techniques such as organoleptic, macroscopic and microscopic examination remain valuable because they are relatively rapid and can provide direct evidence of botanical identity. The second level consists of physicochemical evaluation. Parameters such as moisture, ash values and extractive values provide objective measurements and can assist in detecting variations between batches. The third level involves chemical and phytochemical standardization. Chromatographic fingerprinting and marker analysis can strengthen the reproducibility of herbal products. The fourth level is safety assessment. Microbial contamination, pesticide residues, aflatoxins, toxic metals and other contaminants require appropriate monitoring. This is particularly important because contamination can occur at multiple points from cultivation through storage. The fifth level is process control and GMP. Quality cannot be added to a product only at the end of manufacturing. It must be built into the manufacturing process through appropriate facilities, trained personnel, validated or controlled processes, documentation and testing.

• IMPORTANCE OF QUALITY CONTROL IN AYURVEDIC DRUGS

Quality control examination is important because it:

1. Ensures identity: It confirms that the intended raw drug or formulation is actually present.
2. Detects adulteration: Substitution and adulteration can be identified through pharmacognostical and analytical examination.
3. Ensures purity: Foreign matter and undesirable contaminants can be detected.
4. Improves safety: Testing can identify microbial contamination, pesticides, aflatoxins and potentially toxic contaminants.
5. Ensures consistency: Quality testing helps reduce excessive variation between batches.
6. Supports therapeutic reproducibility: Consistent raw materials and manufacturing processes provide a stronger basis for reproducible product quality.
7. Supports regulatory compliance: Manufacturers must comply with applicable pharmacopoeial and GMP requirements.
8. Builds consumer confidence: Reliable quality standards can improve confidence among physicians, patients and other stakeholders.
9. Facilitates research: Well-characterized products are essential for meaningful

pharmacological and clinical research.

10. Supports global acceptance: Standardized quality-control systems can facilitate communication and evaluation of Ayurvedic products in international settings.

• CONCLUSION

Quality control examination is an essential component of Ayurvedic drug manufacturing and standardization. It begins with proper identification and authentication of raw materials and extends through physicochemical, microscopic, phytochemical, microbiological and contaminant testing, process control, finished-product evaluation and appropriate storage.

Classical pharmacognostical methods remain valuable for identification and detection of adulteration, while modern analytical techniques provide additional evidence regarding chemical consistency and purity. GMP and pharmacopoeial standards provide the regulatory and technical framework necessary for systematic quality assurance.

A scientifically integrated quality-control approach can help ensure that Ayurvedic medicines are authentic, pure, consistent, safe and of acceptable quality. Continued development of validated analytical methods, stronger laboratory infrastructure, appropriate documentation, pharmacovigilance and harmonized standards will be important for strengthening the quality and wider acceptance of Ayurvedic medicines.

• REFERENCES

1. World Health Organization. Quality Assurance of Pharmaceuticals: A Compendium of Guidelines and Related Materials. Volume 1. Good Practices and Related Regulatory Guidance. 10th ed. Geneva: WHO; 2024.
2. World Health Organization. WHO Good Practices for Pharmaceutical Quality Control Laboratories. WHO Technical Report Series 1052, Annex 4; 2024.
3. Government of India, Ministry of Health and Family Welfare. Drugs and Cosmetics Rules, 1945 – Schedule T: Good Manufacturing Practices for Ayurvedic, Siddha and Unani Medicines.