WORLD JOURNAL OF PHARMACEUTICAL RESEARCH
Coden USA: WJPRAP Impact Factor 8.63
Volume 15, Issue 21, 528-538. Review Article ISSN 2277–7105

DEERGHAYU (LONGEVITY) INDICATORS IN AYURVED: A COMPREHENSIVE ANATOMICAL, PHYSIOLOGICAL, AND CONTEMPORARY BIOMEDICAL APPRAISAL

Dr. Vinay Pareek[1*], Prof. Jitendra Kumar Sharma[2]

[1]Ph. D. Scholar, P. G. Department of Rachana Sharir, M. M. M. Government Ayurved College, Udaipur (Raj.), India.

[2]Guide, Professor & H.O.D., P.G. Department of Rachana Sharir, M.M.M. Govt. Ayurved College, Udaipur (Raj.), India.

Article Received on 12 Oct. 2026,
Article Revised on 31 Oct. 2026,
Article Published on 01 Nov. 2026

https://doi.org/10.5281/zenodo.23760586

***Corresponding Author**

Dr. Vinay Pareek

Ph. D. Scholar, P. G. Department of Rachana Sharir, M. M. M. Government Ayurved College, Udaipur (Raj.), India.
vinaypareek612@gmail.com

How to cite this Article: Dr. Vinay Pareek[1]*, Prof. Jitendra Kumar Sharma[2] (2026). Deerghayu (Longevity) Indicators In Ayurved: A Comprehensive Anatomical, Physiological, And Contemporary Biomedical Appraisal. World Journal of Pharmaceutical Research, 15(21), 528–538.

This work is licensed under Creative Commons Attribution 4.0 International license.

ABSTRACT

Background: Human pursuit of healthy senescence and biological longevity (Deerghayu) constitutes one of the foundational goals of Ayurveda, conceptualized not merely as chronological survival, but as an optimal state of somatic, physiological, and psychic equilibrium (Dharma-Artha-Kama-Moksha-Arogyam). Classical treatises elucidate multi-systemic indicators of longevity spanning constitutional phenotypic traits (Prakriti), structural tissue excellence (Dhatu Sara), macro-morphological proportions (Anga-Pratyanga Lakshana), metabolic adequacy (Agni), and psycho-neuro-endocrine stability. **Objectives:** To comprehensively synthesize and critically appraise the classical indicators of Deerghayu from primary Ayurvedic literature (Charaka Samhita, Sushruta Samhita, Sharangadhara Samhita) through the lens of modern human anatomy (Rachana Sharir), physiological reserve (Kriya Sharir), developmental origins of adult disease (DOHaD), Allostatic load, and cellular-molecular biology. **Methods:** A systematic conceptual synthesis was conducted utilizing classical Ayurvedic compendia alongside peer-reviewed contemporary evidence on anthropometry, connective tissue integrity, metabolic rate, mitochondrial dynamics, and geroprotective rasayana therapeutics. **Results:** Ayurvedic markers of longevity delineate clear morphological, constitutional, and metabolic phenotypes.

Anatomically, features such as deeply embedded neurovascular structures (Gudha Asthi-Sandhi-Sira-Snayu), expansive thoracic morphology (Vistrina Vaksha), bilateral somatic symmetry, and robust structural tissue essence (Mamsa, Asthi, and Majja Sara) correspond to resilient musculoskeletal architectures, preserved peak bone density, and reduced risks of premature frailty. Physiologically, Shleshmala (Kapha) constitution and balanced Agni reflect lower systemic allostatic expenditure, attenuated oxidative stress, and enhanced metabolic conservation. Contemporary parallels such as the Rate-of-Living Theory, peroxisome-mitochondrial respiration, carbon dioxide tolerance, and the regulation of the hypothalamic-pituitary-adrenal (HPA) axis validate these classical diagnostic observations. **Conclusion:** Ayurvedic predictors of Deerghayu offer a sophisticated, non-invasive, phenotype-based predictive framework that harmonizes structural embryological stability with metabolic resilience, providing an integrative paradigm for preventive geriatrics and personalized healthcare.

KEYWORDS: *Deerghayu, Longevity, Rachana Sharir, Dhatu Sara, Prakriti, Agni, Rate of Living, Rasayana, Epigenetics.*

1. INTRODUCTION

In the classical Ayurvedic paradigm, Ayu (lifespan) is defined as the dynamic conjunction (Samyoga) of Sharira (physical body), Indriya (sensory and motor apparatus), Satva (psyche), and Atma (primordial consciousness). It is designated by terms such as Dhari (preventer of somatic decay), Jivita (sustainer of vitality), Nityaga (in continuous flux), and Anubandha (intergenerational continuity). Classical seers asserted that prior to assessing any pathology (Vyadhi), seasonal impact (Ritu), metabolic fire (Agni), mental agility (Sattva), or pharmacological strategy (Aushadha), the clinician must first assess the intrinsic lifespan potential of the individual (Ayu Pariksha).

Classical literature divides human lifespan into three primary strata: Deerghayu (long life / optimal longevity, ideally up to 100 years in the present epoch, Kalyuga), Madhyamayu (moderate lifespan), and Alpayu or Hrasva Ayu (attenuated lifespan). Furthermore, mortality is stratified into Kala Mrityu (natural chronological senescence resulting from the exhaustion of primordial biological vitality) and Akala Mrityu (premature or unnatural mortality triggered by environmental, metabolic, or behavioural derangements).

Acharya Charaka contextualized detailed morphological longevity predictors during neonatal evaluation (Navajata Shishu Pariksha) post-Namakarana ceremony, while Acharya Sushruta delineated constitutional and somatic markers in the Jatisutriya Sharira and Sutrasthana.

When analyzed from the standpoint of Rachana Sharir (structural macro- and micro-anatomy) and Kriya Sharir (functional physiology), these classical observations represent phenotypic manifestations of high biological reserve, developmental stability, and metabolic efficiency.

2. EMBRYOLOGICAL, DEVELOPMENTAL, AND EPIGENETIC DETERMINANTS OF LONGEVITY

2.1 Intrauterine Integrity and Developmental Origins

A cardinal indicator of Deerghayu in the Sushruta Samhita is that the individual must be disease-free from fetal life (Garbhavastha se Nirogi), demonstrating unbroken, harmonious developmental momentum (Utpatti Cha Avyapanne). The classical continuum begins with preconception hygiene (Shukra-Shonita Shuddhi, Beeja-Beejabhaga Avayava integrity), maternal regimen (Garbhini Paricharya), and timely psycho-physical developmental milestones (Kramena Jnana-Vijnana Vardhana).

In modern medicine, this directly corresponds to the Developmental Origins of Health and Disease (DOHaD) paradigm formulated by Barker et al. Adverse intrauterine insults induce stable epigenetic programming modifications (e.g., altered DNA methylation, histone acetylation, and microRNA expressions) that permanently calibrate the child's metabolic setpoint, renin-angiotensin-aldosterone axis, and vascular tone. Sparing maternal nutritional or toxic perturbations ensures intact organogenesis, preserves nephron and cardiomyocyte numbers at birth, and minimizes susceptibility to adult metabolic syndrome, cardiovascular accidents, and premature allostatic decline.

3. RACHANA SHARIR: MACRO-MORPHOLOGICAL AND STRUCTURAL ANTHROPOMETRY OF DEERGHAYU

The structural anthropometry described by Acharya Charaka (Sharirasthana 8/51) and Acharya Sushruta (Sutrasthana 35) details specific morphological conformations indicative of long life:

3.1 Craniocervical and Cephalic Morphology

- **Cranial Contour (Shira):** A constitutionally opulent, compact, well-contoured head resembling an open umbrella (Chhatrakara). This indicates optimal craniosynostosis timelines, balanced neurocranial development, and optimal endocranial volume.

- **Frontal Bone and Forehead (Lalata):** Broad, unyielding, smooth, possessing three transverse lines and resembling an arched crescent (Ardha-Chandrakara). Morphologically, this corresponds to a well-developed frontal sinus and robust neurocranium, indicative of robust fronto-cortical structural development.

- **Auditory Apparatus (Karna):** Large, symmetrical pinnae, elongated downwards, posteriorly directed, possessing a firm tragus and an expansive acoustic meatus. Contemporary anthropometry recognizes hypoplastic, dysmorphic, or low-set ears as hallmarks of chromosomal microdeletions and branchial arch dysplasia, which classical texts associate with Alpayu (short life).

- **Cervical Column (Griva):** Compact, muscular, rounded, and not disproportionately elongated. Biomechanically, a stocky cervical spine provides stability against torsional stresses, protecting the vertebral and carotid vascular trunks.

3.2 Thoraco-Abdominal and Axial Conformation

- **Thorax (Vaksha / Uras):** Broad, muscular, and expansive. Sushruta lists a broad chest (Prithu Vaksha) alongside long inspirational capacity (Deergha Nishwasa) as critical indicators. In contemporary pulmonology, a wide bi-acromial and thoracic diameter correlates directly with superior Forced Vital Capacity (FVC), Forced Expiratory Volume (FEV1), and greater diaphragmatic excursion, which are protective factors against chronic cardiorespiratory failure and all-cause mortality.

- **Umbilical Region (Nabhi):** Deep, firm, and turned clockwise (Dakshinavarta). Anatomically, the umbilical ring represents the convergence of deep fascial planes (linea alba, transversalis fascia). A well-retracted, deep umbilicus signifies dense core connective tissue and strong intra-abdominal muscular walls, resisting abdominal herniation and visceral ptosis.

3.3 Appendicular and Connective Tissue Phenotypes

- **Concealed Structures (Gudha Sandhi, Sira, Snayu, and Asthi):** Bones, tendons, ligaments, and vasculature that are deeply embedded, well-sheathed by muscle tissue, and not prominent or vulnerable. Modern connective tissue biology reveals that healthy collagen bundling (Type I and III tropocollagen cross-linking) coupled with balanced peripheral adiposity forms an envelope that cushions vessels, prevents microtrauma, and reflects developmental stability.

- **Terminal Podiatric and Ungual Contours (Pada, Nakha):** Nails and feet that are unctuous, copper-hued, elevated, compact, and tortoise-shell-shaped (Kurmaprishta). This contour reflects well-developed plantar arches, strong tarsal-metatarsal architecture, and healthy microcirculation free from ischemic cyanosis or trophic osteodystrophy.

4. TISSUE EXCELLENCE (DHATU SARA) AS A STRUCTURAL RESERVE FOR SENESCENCE RESISTANCE

Acharya Charaka's assessment of the eight Dhatu Saras (Vimanasthana 8) is pivotal for evaluating longevity reserve

4.1 Mamsa Sara (Muscular Substrate)

Individuals characterized by Mamsa Sara exhibit firm, well-proportioned musculature over the temporal bones, zygoma, nape, shoulders, thorax, abdomen, and limbs. Classical texts assign them Dhiratva (courage), Bala (physical power), and Deerghayu.

Modern Biomedical Correlation: Sarcopenia—the age-related decline of lean skeletal muscle mass—is a prime predictor of morbidity in the elderly. Lean muscle mass drives insulin-mediated glucose clearance (GLUT-4 translocation), preserves resting basal metabolic rate, and secretes therapeutic myokines (e.g., IL-15, irisin) that promote cognitive and metabolic health.

4.2 Asthi Sara (Skeletal Integrity)

Asthi Sara presents with robust, dense bones, large articulating joints, strong teeth, and enduring mechanical strength.

Modern Biomedical Correlation: Reaching an optimal Peak Bone Mass (PBM) by the end of the second decade provides a skeletal buffer that reduces the risk of senile osteoporosis

and fragility fractures. Hip fractures in geriatric cohorts carry an excess mortality rate of 14% to 58% within 1–5 years post-injury; thus, structural skeletal resilience translates into biological life extension.

4.3 Majja Sara (Neuro-Adipose & Marrow Reserve)

Individuals endowed with Majja Sara exhibit soft external features, rounded, deep-set articulating joints, resonant low-frequency voice (Snigdha-Gambhir-Swara), and prominent longevity (Deerghayusha).

Modern Biomedical Correlation: Majja Dhatu corresponds functionally and structurally to the central and peripheral nervous systems, as well as the bone marrow microenvironment (medulla ossium). Maintenance of the hematopoietic stem-cell niche inside marrow cavities ensures lifelong immunological reconstitution and sustained neurogenesis, mitigating neurodegenerative decline.

5. KRIYA SHARIR: PHYSIOLOGICAL HOMEOSTASIS AND METABOLIC DYNAMICS

5.1 Prakriti and Constitutional Longevity: The Primacy of Shleshmala (Kapha) Physiology

According to classical literature, the Kapha-dominant (Shleshmala) constitution exhibits physical compactness, smooth, unctuous tissues (Snigdha-Slakshna Anga), stable joint articulation (Sandhi-Bandhana), thermal stability, unhurried gait, delayed somatic reactivity, and intrinsic longevity (Deerghayu). Conversely, Vata constitution represents catabolic vulnerability, irregular metabolic rate (Vishamagni), and variable tissue hydration, predisposing to accelerated tissue senescence (Jara).

5.2 Jatharagni and Dhatwagni: Mitochondrial Energetics and Caloric Conservation

Acharya Charaka proclaimed that Ayu, Varna, Bala, Swasthya, and Prana are dependent upon Agni (Chikitsasthana 15/3–4). If Agni is extinguished, death results; if functioning in its physiological state (Sama Agni), it guarantees an undisturbed, disease-free lifespan.

Agni encompasses both gastrointestinal enzymatic transformations (Jatharagni) and intermediate cellular-mitochondrial respiration (Bhuta- and Dhatwagni). A dysregulated Agni produces Ama—metabolically aberrant endotoxins that precipitate systemic channel obstruction (Sroto-Rodha) and trigger chronic micro-inflammation.

5.3 Metabolic Rate and the 'Rate-of-Living' Paradigm

Rubner's classical Rate-of-Living Theory (1908) posited an inverse relationship between an organism's basal metabolic rate (BMR) per unit of tissue and its total lifespan. Slower resting metabolic rates reduce electron leakage from the mitochondrial transport chain, producing fewer reactive oxygen species (ROS) and diminishing oxidative DNA and membrane damage.

This directly parallels the physiological tranquility characteristic of the Shleshmala individual and the respiratory control achieved via Pranayama. Controlled, slower breathing minimizes excessive hypocapnic hyperventilation, enhancing carbon dioxide tolerance. Slower resting heart rates (Hrid-Gati) are similarly correlated across mammalian species with lower cumulative cardiovascular work and extended life expectancy.

6. PHARMACOGENOMIC AND BIOMOLECULAR FOUNDATIONS OF RASAYANA THERAPY IN EXTENDING AYU

The Ayurvedic armamentarium counters biological senescence (Jara-Nashana) through Rasayana therapy, aimed at enhancing Bala, Vayasthapana (stabilizing youthfulness), and Ayurvardhaka actions.

- **Amalaki (Emblica officinalis):** Amalaki contains concentrated, stable L-ascorbic acid, emblicanin A and B, gallic acid, and punigluconin. It quenches intracellular reactive oxygen species (ROS), prevents oxidative telomere shortening, down-regulates pro-inflammatory cytokines, and up-regulates intrinsic catalase and superoxide dismutase (SOD) levels.

- **Ashwagandha (Withania somnifera):** Characterized by steroidal withanolides (withaferin A, withanolide D), Ashwagandha acts primarily as an adaptogen by regulating the hypothalamic-pituitary-adrenal (HPA) axis. By moderating circulating serum cortisol levels, it prevents chronic catabolism, preserves lean muscle tissue (Mamsa Poshan), and stimulates neuro-regenerative pathways, countering age-related neurodegenerative decline.

- **Guduchi (Tinospora cordifolia):** Guduchi yields rich alkaloids (berberine, palmatine) and glycosides that stimulate peritoneal macrophages, activate natural killer (NK) cells, down-regulate systemic nuclear factor kappa B (NF-κB), and restore structural immunological barrier integrity, thereby mitigating immunosenescence (Ojas depletion).

Table 1: Decade-Specific Adaptogenic Strategies (Vayanusar Rasayana).

Decade (Years)	Declining Faculty (Haniyukta Bhava)	Targeted Botanical / Formulation	Biomedical Rationale
1 – 10	Balya (Childhood Vitality)	Vacha (Acorus calamus), Kashmari	Supports early neurodevelopment and primary immune education.
11 – 20	Vriddhi (Growth & Stature)	Ashwagandha (Withania somnifera), Bala	Promotes skeletal muscle protein synthesis and osteoblastic activity.
21 – 30	Chhavi (Complexion & Glow)	Amalaki (Emblica officinalis)	Enhances dermal collagen integrity and counteracts cutaneous photodamage.
31 – 40	Medha (Intellect & Retention)	Brahmi (Bacopa monnieri), Shankhapushpi	Upregulates central cholinergic transmission and protects synaptic plasticity.
41 – 50	Tvacha (Skin Integrity)	Somraji, Chandana, Bhringaraja	Preserves microvascular dermal circulation and epidermal barrier function.
51 – 60	Drishti (Visual Acuity)	Triphala Rasayana, Saptamrita Lauha, Shatavari	Mitigates retinal macular stress and slows crystalline lens opacification.
61 – 70	Shukra (Gametic / Endocrine Reserve)	Kapikacchu (Mucuna pruriens), Ashwagandha	Balances neuroendocrine feedback, andropause, and menopausal bone loss.
71 – 80	Vikrama (Physical Drive & Valour)	Bala (Sida cordifolia)	Reduces motor-unit denervation and preserves functional musculoskeletal torque.
81 – 90	Buddhi (Cognitive Faculties)	Mandukaparni (Centella asiatica), Amalaki Rasayana	Clears cerebral micro-circulatory channels and reduces neuro-inflammation.
91 – 100	Karmendriya (Sensorimotor Functions)	Universal Rasayanas (Chyavanprasha, Brahma Rasayana)	Sustains basal cellular bioenergetics and protects mitochondrial reserves.

7. SYSTEMIC COMPARATIVE SYNTHESIS: AYURVEDIC MORPHOLOGY VS. MODERN PREDICTIVE ANATOMY

A comparative analysis illustrates how external macroscopic phenotypes correspond to internal physiological resilience:

Table 2: Comparative Synthesis of Longevity Determinants.

Ayurvedic Longevity Determinant	Structural / Physiological Correlate	Translational Biomedical Mechanism
Gudha Sandhi, Snayu, Sira (Concealed joints, ligaments, veins)	Connective tissue cross-linking; protected neurovascular architecture.	Dense extracellular matrix cushioning prevents shear stress, microaneurysms, and repetitive strain injuries.

Sanhatanga (Compact, well-proportioned musculo-skeletal build)	Optimal lean skeletal mass index; balanced body composition.	Enhanced whole-body insulin clearance, anti-inflammatory myokine production, resistance to sarcopenic frailty.
Prithu/Vistirna Vaksha & Deergha Nishwasa (Expansive chest & deep respiration)	Enlarged functional vital capacity; slow baseline respiratory rate.	Increased pulmonary compliance, improved CO2 tolerance, and decreased baseline allostatic oxidative load.
Dakshinavarta & Gambhira Nabhi (Clockwise-whirled, deep umbilicus)	Intact, dense linea alba and deep abdominal fascial closure.	Strong intra-abdominal muscular wall tone, reducing risk of abdominal visceral herniation and diastasis recti.
Ardha-Chandrakara & Tri-Rekhanvita Lalata (Symmetrical crescent forehead)	Symmetrical neurocranial development; wide fronto-orbital angle.	Developmental stability and absent craniosynostotic or craniofacial dysmorphic genetic defects.
Manda Hrid-Gati & Shleshmala Swabhava (Controlled heart rate & Kapha demeanor)	High parasympathetic vagal tone; lowered resting basal metabolism.	Rate-of-living conservation: reduced cardiac workload, attenuated mitochondrial ROS release, extended cellular senescence thresholds.
Gudha/Alpa Janu-Sandhi Lakshana (Contrasting Deerghayu vs. Alpayu joints)	Well-formed femoral/tibial condyles vs. dysplastic or hypoplastic epiphyses.	Structural joint stability prevents premature mechanical osteoarthritis, preserving mobility and overall metabolic fitness.

8. DISCUSSION

The conceptualization of Deerghayu in Ayurveda provides an integrative model where macro-morphology serves as an overt window into cellular and functional vitality. The ancient seers recognized that human constitutional durability is an emergent property uniting ancestral genetic purity (Beeja Sampat), uterine environment (Kshetra-Ambu-Ritu-Ahara Sampat), mechanical tissue adequacy (Sara-Samhanana), and metabolic conservation (Agni-Ojas homeostasis).

From the perspective of Rachana Sharir, features such as Gudha Sandhi-Snayu (dense, protected joint capsules and ligaments) and Sanhatatva (compact musculoskeletal morphology) represent physiological buffers against physical trauma and structural degeneration. These physical markers mirror the contemporary recognition of high peak bone mass, balanced body mass index, and lean skeletal mass as predictors of functional independence and survival in older age.

Simultaneously, from the standpoint of Kriya Sharir, constitutional calm (Shleshmala Prakriti) and regulated metabolic conversion (Sama Agni) parallel modern concepts of bioenergetic thrift and reduced free radical production. The classical recommendation of decade-specific rejuvenative botanicals (Vayanusar Rasayana) highlights a sophisticated approach to countering the steady loss of functional and tissue reserves across the human lifespan.

By translating classical observational descriptors into modern biomedical terminology, clinical practitioners gain non-invasive tools for risk stratification, preventative lifestyle counseling, and early clinical interventions.

9. CONCLUSION

Deerghayu (longevity) in Ayurveda represents a balanced state of somatic architecture, physiological efficiency, and psychological tranquility. The morphological, constitutional, and metabolic markers documented in classical compendia demonstrate clear correlations with modern principles of developmental stability, structural biomechanics, metabolic rate control, and cellular adaptogenesis. Integrating these ancient diagnostic insights with modern clinical biometrics establishes a comprehensive foundation for predictive diagnostics, lifestyle medicine, and geroprotective therapies.

10. REFERENCES

1. Sharma PV. Charaka Samhita: Text with English Translation (Sutrasthana, Vimanasthana, Sharirasthana, Chikitsasthana). 8th & 9th eds. Varanasi: Chaukhambha Orientalia; 2003–2004.
2. Singhal GD, et al. Sushruta Samhita: Ancient Indian Surgery (Sutrasthana, Sharirasthana). 2nd ed. Delhi: Chaukhambha Sanskrit Pratishthan; 2007.
3. Patel V. A Review Article on Deerghaayu Lakshana. International Ayurvedic Medical Journal (IAMJ). 2022; 10(6): 1581-1585.
4. Shetty DD, Kumar MA, Mogasale PN, Nagaraj S. A Conceptual Study on Deerghayu According to Classics. International Journal of Ayurveda and Pharma Research (IJAPR). 2023; 11(1): 97-100.
5. Mahajan S, Sharma AK, Priyanka. Scientific Analysis of Longevity Signs in Ayurveda: A Comparative Review with Modern Concepts. AYUSHDHARA. 2025; 12(3): 283-286.
6. Padmaveer PS, Kuruvilla SE, Vishnu Priya R, Sah A, Sagare SS. Longevity and Vitality: Uniting Ancient Ayurveda Principles with Contemporary Medical Care – An Evidence-

Based Review. International Journal of Biology, Pharmacy and Allied Sciences (IJBPAS). 2025; 14(3): 319-334.

7. Bijarniya SK, Kapoor R, Upadhyay P. Basic Principles of Longevity of Life in Ayurveda – A Review. International Research Journal of Ayurveda & Yoga (IRJAY). 2020; 3(3): 51-59.
8. Barker DJP. The developmental origins of chronic adult disease. Acta Paediatr Suppl. 2004; 93(446): 26-33.
9. Rubner M. Das Problem der Lebensdauer und seine Beziehungen zu Wachstum und Ernährung. München: Oldenbourg; 1908.
10. Baliga MS, Dsouza JJ. Amla (Emblica officinalis Gaertn), a wonder berry in the treatment and prevention of cancer. Eur. J. Cancer Prev., 2011; 20(3): 225-239.
11. Chandrasekhar K, Kapoor J, Anishetty S. A prospective, randomized double-blind, placebo-controlled study of safety and efficacy of a high-concentration full-spectrum extract of Ashwagandha root in reducing stress and anxiety in adults. Indian J Psychol. Med., 2012; 34(3): 255-262.
12. Upadhyay AK, Kumar K, Kumar A, Mishra HS. Tinospora cordifolia (Guduchi): A reservoir plant for therapeutic applications. Indian J. Tradit. Knowl., 2010; 9(2): 245-254.
13. Srivastava S. Sharangadhara Samhita: Text with English Translation. Varanasi: Chaukhambha Orientalia; 2017.