

WORLD JOURNAL OF PHARMACEUTICAL RESEARCH

Coden USA: WJPRAP

Impact Factor 8.453

Volume 14, Issue 21, 630-633.

Case Study

ISSN 2277-7105

ROLE OF AYURVEDIC MANAGEMENT IN RAKTPRADAR (MENORRHAGIA)- A SINGLE CASE STUDY

Dr. Umesh K. Agawane¹*, Dr. Mayuri Bhagwan Phatale², Dr. Pragati Panjabrao Taur

¹Assistant Professor, Prasutitantra Evum Striroga Department, Government Ayurvedic College, Dharashiv, Maharashtra, India.

^{2,3}Post Graduate Scholar Department of Prasuti Tantra Evum Striroga, Government Ayurved College, Dharashiv, Maharashtra India.

Article Received on 01 Oct. 2025, Article Revised on 21 Oct. 2025, Article Published on 01 Nov. 2025,

https://www.doi.org/10.5281/zenodo.17471021

*Corresponding Author Dr. Umesh K. Agawane

BAMS MD (Ayu) Prasuti Evum Stri Rog.

Assistant Professor, Prasutitantra Evum Striroga Department, Government Ayurvedic College, Dharashiv, Maharashtra, India.



How to cite this Article: Dr. Deodatta Bhadlikar, Dr. Devyani Bhadlikar, Dr. Shruti Saxena, Dr Archana Pandey Jumle, Rahul Jumle. (2025). Ayurvedic Management Of Fissure - In- ANO. World Journal of Pharmaceutical Research, 14(21), 630–633. This work is licensed under Creative Commons Attribution 4.0 International license.

ABSTRACT

Raktpradar is one of the most common gynacological problem seen nowdays due to altered lifestyle, dietary changes and hormonal imbalance because of stressful living. It is associated with excessive menstrual bleeding. According to charak acharya, Raktpradar means 'pradirana (excessive excreation) of Raja (menstrual bleeding) Resulting from Imbalance of Rakta and pitta dosha. Ayurveda approaches a comprehensive treatment plan that includes herbal medicines Panchakarma therapy, dietary changes, and lifestyle modifications aimed at restoring menstrual health. The objective of this study is to assess the effectiveness of Ayurvedic treatment in addressing Raktapradara through a detailed case analysis, focusing on the role of ayurvedic interventions and Panchakarma therapy in normalizing and regularize menstrual cycles and enhancing overall health. In the methods section, a 32-year-old woman experiencing heavy menstrual bleeding for the duration of more than 9 days received Ayurvedic treatment. In the present study,

it is observed that *Pathya-Apathya* with medication has a significant role in relieving symptoms of *Raktapradar*.

KEYWORDS: Raktapradar, Pathya-Apathya.

www.wjpr.net Vol 14, Issue 21, 2025. ISO 9001: 2015 Certified Journal 630

INTRODUCTION

As per incidence 30-40% of women of reproductive age suffer excessive or irregular menstrual bleeding due to various factors. Heavy menstrual bleeding is managed by modern hormonal or medical and surgical treatment, This treatment has a lot of side effects and if it fails then surgical intervention is indicated. Because of the limitation of medical and surgical therapy in Allopathy, it becomes a need to find out alternative effective and harmless therapy to manage excessive or irregular uterine bleeding. In Ayurveda length of the normal cycle (28-30 days) and the duration of bleeding time (4-5 days) are mentioned. Normally in a healthy girl, menarche occurs 11-15 years with a time interval of 28-30 days, and the duration of bleeding is about 4-5 days. In *Raktapradar* there is an increased amount and duration of blood flow during menses. In Ayurvedic text, the causative factor of *Raktapradar* has been mentioned. The management and prevention of *Raktapradar* are also mentioned. Many preparations have been mentioned in our Samhitas for *RaktaPradar*. All these preparation have a certain common basic principle of Ayurveda. So keeping in mind all of the above reasons, the present study has been selected.

AIMS AND OBJECTIVE

- 1. To evaluate the effectiveness of ayurvedic treatment in managing raktpradar.
- 2. To assess the role of herbal and panchakarma interventions in restoring menstrual health.

MATERIALS AND METHODS

A single case study

A 32 yr/F with excessive and prolonged menstrual bleeding.

Intervention-ayurvedic treatment including oral medications and panchkarma treatment with dietary advice.

Duration -3 month

CASE PRESENTATION

A 32 yr/F came to streeroga and prasutitantra department with c/o excessive and prolonged bleeding during menstruation. her cycle is regular with 7-8 days duration of menstrual bleeding with soakage of 5-6 pads/day, associated with general weakness. she had no any past history or systemic diseases. no any surgical history .no any drug history noted.

CLINICAL EXAMINATION

PR -82/min

BP-110/80 mmhg P/A- soft, NT Pallor- present

INVESTIGATIONS

Hb-9gm/dl

USG (abdomen and pelvis)-NAD

TREATMENT PROTOCOL

Oral medications-

Sr. No	Drugs	Dose	Duration
1	Shunthi-lodhra churn	5gm bd with ghrut (7 days From 5 th day of menses)	3 months
2	Raktpachak kashay	15 ml with water From 5 th day of menses)	3 months
3	Bolbadhh ras	2bd with water From 5 th day of menses	3 months
4	Ashokarishta	20 ml bd with equal water	3 months
5	Navayas louh vati	2 bd with water	3 months

Dietary and Lifestyle Modifications

Advised- Fresh cooked meal, milk, fresh fruits, cow ghee.

Daily yoga and meditation.

OBSERVATION AND RESULTS

- After three months of treatment.
- the patient showed significant improvement.
- Menstrual flow reduced to 4 days with moderately bleeding.
- General health improved. pallor has reduced.
- 3 mnths treatment tolerated well by patient.

DISCUSSION

The ayurvedic management approach includes *pitta* pacifying herbs, *raktasthambhak* medicines, uterine tonics all aimed at regulating the menstrual cycle. Ashokarishta has significant use in *raktapradar*. it has hemostatic and uterine tonic properties. Raktapachak kshay used to purify rakt dhatu. bolbaddha ras it has hemostatic and astringent properties, it has guduchi stva which pasify *pitta dosh* and beneficial in raktapradar also *bola or* Myrrh is a gum resin which act as stambhak. shunthi and lodhra churn act as *dipan*, *pachak and stambhak* properties. to restore haemoglobin used navayas lauh vati. In addition to this dietary and lifestyle changes play a crucial role in management of *raktpradar*.

CONCLUSION

This study signifies the efficacy of ayurvedic treatment in raktpradar by using herbal medicines, dietary modifications and lifestyle changes. integrating cooling and nutrient containing food, the patient reported improved regularities of menstrual cycle, overall general health and improved physical and mental health.

REFERENCES

- 1. By Vaidya shastri shree laxmipati Yogratnakar: vidyotini Hindi Tikta Samhita Chaukhambha surbharti prakashan, Varanasi. Year-2015 Edition.
- 2. Tripathi Bramhanand Charaksamhita Chaukhambha Bharati academy, Varanasi. Year-2013 Edition.
- 3. Dr. Sharma Anantram sushrut samhita Volume-2 Chaukhamba surbharati prakashan, Varanasi. Year-2009 Edition.
- 4. Ayurvediya Tiwari Premvati Prasutitantra evam Streeroga part 2, Chaukhamaba orientalia, Varanasi. Year-2014 Edition.
- 5. Ayurvedacharya Sharma Pandit heeralal Sharangdhar Samhita Chaukhamba orientalia, Varanasi Year-2008 Edition.
- 6. D C Dutta, Text Book of Gynecology, 6th Edition, Jaypee Brothers Medical Publisher (P) Limited, Chapter 14, p185 3.