

AYURVEDIC PERSPECTIVE ON THE PHARMACOLOGICAL PROPERTIES OF ASHWAGANDHA (WITHANIA SOMNIFERA)**Dr. Varij Pandey***

Principal and Professor, (Department of Dravyaguna Vigyana) Gaur Brahman Ayurvedic College and Hospital, Brahmanwas, Rohtak, Haryana.

Article Received on
24 June 2025,

Revised on 15 July 2025,
Accepted on 05 Aug. 2025

DOI: 10.20959/wjpr202516-37826



***Corresponding Author**

Dr. Varij Pandey

Principal and Professor,
(Department of Dravyaguna
Vigyana) Gaur Brahman
Ayurvedic College and
Hospital, Brahmanwas,
Rohtak, Haryana.

ABSTRACT

Ashwagandha is a highly regarded medicinal herb in *Ayurveda*, traditionally known for its rejuvenating, strengthening, and protective effects on the nervous system. Recognized as a *Rasayana*, it has been used to enhance vitality and longevity. This review explores the classical Ayurvedic descriptions of *Ashwagandha*'s therapeutic properties, relates them to findings from modern pharmacological research, and discusses their clinical significance.

KEYWORDS: *Ashwagandha*, *Withania somnifera*, *Ayurveda*, Pharmacology, *Rasayana*, Adaptogen, Neuroprotection.

INTRODUCTION

Commonly referred to as Indian ginseng or winter cherry, *Ashwagandha* has a documented history of medicinal use extending over thousands of years in Ayurveda. Its name, which means "horse's smell," symbolizes the herb's reputed ability to impart strength and stamina. Found extensively in ancient texts such as the *Charaka* and *Sushruta Samhitas*, *Ashwagandha*'s diverse therapeutic roles have been widely acknowledged.^[1,2] This paper reviews the traditional pharmacological concepts surrounding *Ashwagandha* and compares them to contemporary scientific data.

Botanical Description and Chemical Composition

Ashwagandha is a member of the Solanaceae family. The roots and leaves are rich in biologically active constituents including withanolides, sitoindosides, alkaloids, and flavonoids, all contributing to its pharmacological effects.^[3]

Ayurvedic Properties

Taste (*Rasa*): Astringent (*Kashaya*), Bitter (*Tikta*), Sweet (*Madhura*)

Qualities (*Guna*): Dry (*Ruksha*), Light (*Laghu*)

Potency (*Virya*): Hot (*Ushna*)

Post-digestive Effect (*Vipaka*): Sweet (*Madhura*)

Impact on *Doshas*: Balances *Vata* and *Kapha*, with a slight tendency to increase *Pitta*.^[1]

Pharmacodynamic Actions (*Karma*) According to Ayurveda

***Rasayana*:** Rejuvenator, promoting tissue nourishment and longevity, especially of *Majja dhatu*.^[1]

***Balya*:** Enhances physical strength and muscle tone.^[2]

***Vatahara*:** Calms *Vata* dosha, helpful in neurological conditions and anxiety disorders.^[5]

***Medhya*:** Supports cognitive function, memory, and intellect.^[3]

***Shothahara*:** Exhibits anti-inflammatory properties that reduce swelling and pain.^[3]

***Jvaraghna*:** Possesses fever-reducing qualities.^[1]

***Swarya*:** Improves voice strength and clarity, used in speech disorders.^[2]

Therapeutic Applications

Management of stress, anxiety, and sleep disturbances.^[4]

Treatment of arthritis and other inflammatory conditions.^[5]

Enhancement of sexual health and fertility (*Vajikarana*).^[1]

Recovery from general weakness and convalescence.^[2]

Modern Pharmacology

- **Adaptogen and Stress Modulator:** Regulates the HPA axis, lowering cortisol and improving stress resilience.^[5]
- **Immune Enhancer:** Boosts both cellular and humoral immune responses.^[3]
- **Neuroprotective:** Provides antioxidant protection, reducing oxidative damage to neurons.^[4]
- **Anxiolytic and Antidepressant:** Acts on GABA and serotonin pathways to reduce anxiety and depression symptoms.^[4]
- **Anticancer Effects:** Withanolides display cytotoxicity against several cancer cell types.^[3]

Comparative Overview of Traditional and Modern Actions

Ashwagandha's well-known Ayurvedic actions of rejuvenation, strength enhancement, cognitive support, and Vata pacification correspond closely with scientific evidence revealing its adaptogenic, anti-inflammatory, neuroprotective, and anxiolytic effects.

Adaptogenic and Stress-Alleviating Effects

Classified as *Rasayana*, promoting overall vitality and balancing *doshas*, especially *Vata* and *Kapha*, to enhance resilience. Research demonstrates *Ashwagandha's* ability to regulate the HPA axis and decrease cortisol levels, reducing stress-related biochemical changes in both animals and humans.^[4,5]

Cognitive and Neuroprotective Benefits

Medhya action supports mental functions and nourishes *Majja dhatu*. Active compounds like withanolides protect brain cells from oxidative stress, stimulate neuronal growth, and improve cognition in experimental models and clinical settings.^[3,4]

Anti-inflammatory and Immunoregulatory Effects

Shothahara action counters inflammation and tissue swelling. *Ashwagandha* inhibits pro-inflammatory cytokines and enhances immune cell activity, supporting its use in chronic inflammation and autoimmune conditions.^[3,5]

Strengthening and Rejuvenation

Balya and *Vajikarana* properties improve muscle function and reproductive health. Clinical trials show enhanced muscle strength, recovery, improved semen quality, and elevated testosterone levels.^[3,5]

Ayurvedic Actions (*Karma*) and Modern Pharmacological Correlates

| Ayurvedic Term | Traditional Role | Modern Pharmacology |
|-------------------|----------------------------|---------------------------------|
| <i>Rasayana</i> | Rejuvenation and longevity | Adaptogen reducing cortisol |
| <i>Balya</i> | Enhances physical strength | Improves muscle strength |
| <i>Medhya</i> | Cognitive enhancer | Neuroprotection, memory support |
| <i>Vatahara</i> | Calms <i>Vata dosha</i> | Anxiolytic, antidepressant |
| <i>Shothahara</i> | Anti-inflammatory | Inhibits inflammatory cytokines |
| <i>Jvaraghna</i> | Antipyretic | Fever reduction |

Chemical compounds

Ashwagandha is noted for its extensive phytochemical profile. Depending on the source of the raw material, it displays a varied composition of chemical compounds. The active

components that are essential for its pharmacological effects include witanolides and alkaloids. The witanolide group comprises witanopherin A, witanolides A-Y, witanone, widadomniferin A, and witasomniferols. The alkaloids consist of witanin, somniferin, somnin, tropin, somniferinin, pseudowitanin, pseudotropin, choline, kuskohigrin, isopeletierin, and anaferin.^[6]

DISCUSSION

The alignment of Ayurvedic descriptions with modern pharmacological findings underscores Ashwagandha's multifaceted therapeutic potential. Its complex phytochemistry allows it to interact with multiple biological targets, explaining its broad clinical applications in stress management, neuroprotection, and inflammation. While *Ayurveda* stresses individualized treatment and preparation, contemporary research often uses standardized extracts, highlighting an area for future integrative studies. More extensive clinical trials, pharmacokinetic analyses, and investigation of herb combinations are warranted to optimize therapeutic protocols.

CONCLUSION

Ashwagandha continues to be a cornerstone herb in Ayurveda, prized for its rejuvenating, strengthening, and neuroprotective effects. Classical Ayurvedic literature details its diverse pharmacological activities, many of which are confirmed by current scientific research. Its adaptogenic, anti-inflammatory, immunomodulatory, and cognitive benefits support its use in managing stress, neurodegenerative disorders, and inflammatory conditions.^[1-5] Bridging traditional wisdom with modern evidence-based medicine holds promise for enhancing its therapeutic utility. Further rigorous research and standardization will be essential for its broader clinical integration.

REFERENCES

1. Charaka Samhita, Ayurveda Classics, translated by P.V. Sharma, 2001.
2. Sushruta Samhita, Ayurveda Classics, translated by K.R. Srikantha Murthy, 2005.
3. Singh, N., Bhalla, M., de Jager, P., & Gilca, M. An overview on Ashwagandha: A Rasayana (rejuvenator) of Ayurveda. *African Journal of Traditional, Complementary and Alternative Medicines*, 2011; 8(5): 208–213.
4. Chandrasekhar, K., Kapoor, J., & Anishetty, S. A randomized double-blind placebo-controlled study on Ashwagandha root extract for stress and anxiety. *Indian Journal of Psychological Medicine*, 2012; 34(3): 255–262.

5. Bhattacharya, S.K., Muruganandam, A.V. Adaptogenic activity of *Withania somnifera* in a rat model of chronic stress. *Phytomedicine*, 2003; 10(4): 264–269.
6. John J. Therapeutic potential of *Withania somnifera*: A report on phyto-pharmacological properties. *Int. J. Pharm. Sci. Res.*, 2014; 5: 2131–2148.