

WORLD JOURNAL OF PHARMACEUTICAL RESEARCH

SJIF Impact Factor 8.453

Volume 13, Issue 19, 1396-1409.

Review Article

ISSN 2277-7105

ALOE VERA (ALOE BARBADENSIS MILLER), PHYTOCHEMICALS AND ITS PHARMACOLOGICAL ACTIVITY: COMPENDIUM REVIEW

Yash Srivastav*1 and Jaya Singh2

¹Azad Institute of Pharmacy & Research, Lucknow, U.P, India.

²Tahira Institute of Medical Sciences, Gorakhpur, U.P, India.

Article Received on 21 August 2024, Revised on 11 Sept. 2024, Accepted on 01 October 2024 DOI: 10.20959/wjpr202419-34141



*Corresponding Author Yash Srivastav

Azad Institute of Pharmacy & Research, Lucknow, U.P, India.

ABSTRACT

Aloe vera is a critical and effective plant with so many health applications and is stupefying that scarcely any part of the human body remains uninfluenced by its healing medicinal use. It acts as a natural fighter against all classes of infection, an important effective antioxidant that helps in treating all digestion-related problems, heartburns, arthritis, stress, kidney-stone, skin- burns, diabetes, rheumatism, pain, asthma, cancer, AIDS, It also acts as a laxative beauty enhancer and produced that effect on lowering blood sugar level in diabetics and maintain the blood sugar. It is commonly known as Barbados or Curacao Aloe, is an herbal medicine with a long traditional use in different cultures. The main limitation of the current clinical knowledge about aloe Vera gel is small clinical studies that often lack rigorous methodology. Several clinical trials are being conducted to

further evaluate the use of aloe Vera gel for a variety of disorders, as well as to further confirm traditional uses of the plant extract.

KEYWORDS: Aloe Vera, Morphology, Cultivation, Pharmacological Activity.

INTRODUCTION

Aloe Vera is a very effective and important herbal plant in many other plants, it gives so many medicinal activities and pharmacological effects for human beings and animals. Aloe Vera also is used for medicinal application in different systems of our cultures. Aloe Vera acts as an antimicrobial agent that removes or inhibits the growth and development of microorganisms such as microorganisms (bacteria), fungi, protozoan etc. Antimicrobial drugs

<u>www.wjpr.net</u> Vol 13, Issue 19, 2024. ISO 9001: 2015 Certified Journal 1396

remove and suppress the microbes or protect the growth and development of bacteria (microbiostatic). Various parts of this plant were useful in curing a wide range of health-related issues. This plant synthesizes a vast array of secondary metabolites that are important for medicines. The clinical efficacy of many synthetic antibiotics is questioned nowadays with emergence of multidrug-resistant pathogens. [1,2] The increasing the chemotherapeutics and antibiotics exhibited by pathogenic microbial infection have led to the screening of several medicinal plants for potent microbial activity. Aloe Vera is a medicinal plant that looks like a cactus with a green, shape like a sharp knife, leaves that are flesh, narrowing, spinouts, emarginated & filled up from a clear white viscous gummy gel. Aloe Vera is a hardy, perennial, tropical, drought-resistant, succulent plant. Aloe Vera has produced an immense traditional role in endemic systems of rules of medicine such as the Siddha, Unani, Ayurveda and Homoeopathy. The Aloe Vera leaf contains more than 75 food (nutrients), and 200 chemical active compounds including 20 minerals, 18 amino acids & 12 vitamins, which control the ageing process of the skin. The cleaning of eyes with aloe Vera protects eyes from UV rays when coming in the sunlight. Nowadays it is commonly used in medicines, juices, drinks & cosmetics products. The leaves of Coriander were also used in antimicrobial analysis. [3,4] A Food preservative is an old topic & people have been using high-salted, high molasses system acids, alcohol, smoking, underwater, underground storage & so on to extend food shelf life. With industrial development chemical preservatives are widely used in the food processing industry. However, with the development of the food industry as well as the great attention of people to food safety & have higher demand for food preservative methods & trying to food more secure & efficient preservatives. Coriander has been widely studied & reported about its fruit its fruit in domestic & foreign. There essential oil is mainly extracted from its fruits & there are relatively few research reports about the physiological functions of stems & leaves including antiseptic efficiency. It has a good prospect of application as a natural food preservative. The Complex sugar polymer is the more powerful vital dynamic compound in charge of the invulnerable empowering action present in the Aloe Vera gel. [5]

PLANT PROFILE

Scientific Name/ Botanical Name

Aloe barbadensis miller.

Family

Asphodelaceae.

Common Name

Aloe, Barbados, Medicinal Aloe, Burn plant.

Hindi Name

Ghirit Kumari, Gwar patha.



Fig.1: Aloe vera plant.

Unani Name

Elva.

Parts used

The green parts of the leaf can be made into juice or dried and taken orally as a laxative.

Kingdom

Plantae.

Order

Asparagales.

World Journal of Pharmaceutical Research

Srivastav et al.

Division – Spermatophyte Subdivision - Angiosperm Class - Monocotyledonous Species –

Barbadensis Mill Synonyms-Aloe, Musabbar, Kumari

BIOLOGICAL SOURCE

Aloe Vera consists of the fresh juice collected by incision, from the bases of the leaves of

different species of aloe. Aloe parry, or Aloe Barbadensis Mil and Aloe ferox. [6]

MICROSCOPIAL DISCRIPTION

The Plant is a common-looking perpetual with a small, thick to some degree isolated stem 30-

60 cm high The leaves are opaque green stalk less, gloat, lance late, erect spreading instead of

inward, sharp-toothed at edge, around 30-60 cm long 10 cm board and 1.8 cm thick with of

juice. The flower stalk is longer than the leaves and is layered and extended. The plant

achieves adulteration after four years and has leaves with a length averaging between two and

three feet and a base width from three to five inches. Each leaf weighs from two to four

pounds. The plant's complete life cycle is twelve years. It produces an average of twelve to

thirty leaves. The odour is characteristic while the taste is nauseous and bitter.^[7]

GEOGRAPHICAL SOURCE

• Aloe Vera is indigenous to East and South Africa, yet has been brought into the West

Indies and into topical nations, and will even thrive in the nations verging on the

Mediterranean.

• In India, it is found in Rajasthan, Andhra Pradesh, Gujarat, Maharashtra, UK, Himachal

Pradesh, and Tamil Nadu, It is economically developed in Aruba, Bonaire, Haiti, India,

South Africa, the United of America and Venezuela. It has turned into a typical family

solution for an assortment of uses.^[8]

MORPHOLOGY

Taste: - Bitter

Odor: - None

Size & Shape: - Plant growing to 60-100cm in lance-shaped with elongated strands.

Colour: - Leaves are green to grey- green flower.

Flower: - Yellow tubular in 25-35cm in a slender loose stamen's.

Root: - Root fibers that can reach 30-40 cm in length. [9]

CULTIVATION AND COLLECTION

There are more than 250 species of aloe mature around the over in the world. Be that as it may, just two species are developed today industrially, with Aloe barbadensis Miller and Aloe arborescence being the most prevalent. The Aloe Vera plant is grown in warm tropical territories and cannot survive solidifying temperatures. It is an evergreen perpetual developing to 0.8 m by 1 m at a slow rate. The plants incline toward the light (sandy) and medium (loamy) soil requires all around depleted soil can develop in healthfully poor soil. The plant inclines toward corrosive, nonpartisan and essential (basic) soil. It can't develop in shade. It requires dry or clammy soil and can endure dry spells. They are xerophytes plants. It can be proliferated by seed. Seeds are sown in the spring in a warm greenhouse. The seed as a rule sprouts in 1-6 months at 16oC. The seedlings are exchanged for pots containing very much depleted soil. They are permitted to develop in sunny parts for in any event their initial two winters. [10-12] The counterbalance will be accessible, for the most part in spring. The plants produce balance uninhibitedly and they can be isolated whenever of the year the length of it warms enough to urge new attach development to permit restoration of the plant. Young equalization is planted in the earth after the swirling season in lines organized at a detachment of 60m. In the second year leaves are accumulated by local people by guaranteeing their hands in light of the thorny method for takes off. The leaves are cut close to the base, kept within lamp fuel tins and taken to a focal spot for the arrangement of aloe. Juice of aloe is available in parenchymatous cells of pericycle that are adhesive cells. In a solitary entry point adhesive cells apply. [13]

CHEMICAL CONSTITUENTS

- The most critical dynamic boss constituents of Aloe Vera are the three isomeric of Aloins, Barb loin and Isobarbaloin, which constitute the purported crystalline Aalin, present in the medication at from 10 to 30% constituent are shapeless Aaloin, sap, emodin and Aloe-emotion.
- Barbolin is available in all the verities of aloe Vera. It is marginally yellow shaded, severe, water dissolvable, crystalline substance, present in Curacao aloe and in follow sum in Cape aloe and present in Socortrine and Zanzibar aloe.
- The central constituents of Socortrine and Zanzibar aloe are Barb loin. Aloe is comprised
 of an immeasurable scope of mixes which can be separated into three extensive
 gatherings.

- The principal bunch, complex sugars (among which acemannan emerges) are inside the leaves gel and have an insusceptible empowering activity. Next are the anthraquinoes, contained in the peripheral part of the skin, with a solid purgative activity.
- Lastly are a few substances with a wide cluster of activities, for example, minerals, vitamins, crucial, superfluous and semi-vital amino acids, natural acids, phospholipids, proteins, lignin and saponins.^[14,16]



Fig.2: Aloe Vera plant and its gel form.

TEETH AND GUM

Commonly Dentistry reported that Aloe Vera to a great degree effective tooth gels is as reasonable as toothpaste in fighting to cavities. The examiners took a gander at the germ-doing combating limit of an Aloe Vera tooth gel with two understood toothpaste and found that the gel was practically as convincing, and now and again far superior to the business brand toothpaste at controlling pit bringing on oral bacteria. [17]

PHARMACOLOGICAL ACTIVITY OF ALOE VERA

The therapeutic cases made about Aloe Vera, as with various herbs and plants, are perpetual.

ANTI-CANCER PROPERTIES

Aloe Vera plays an important role in cancer-causing nature that has not been assessed well. The constant misuse of anthracoid-containing intestinal medicines has been speculated to assume a part in colorectal tumour, be that as it may, no causal social between anthropoid diuretic misuse and colorectal malignancy has been exhibited and Aloe Vera juice enables the body to recover itself from moreover the mischief brought on by radio and chemotherapy that obliterate strong sound safe invulnerable cells basic for the recovery. Aloe vera emotion, an anthraquinone, can smother or control the advancement of undermining or repress and suppress the development of threatening growth bringing about cells making it hostile to antineoplastic properties.^[18,19]

ANTI-ULCER ACTIVITY

This study was performed to determine the effects of Aloe Vera on indomethacin-actuated ulcers in rats. Aloe Vera demonstrated verifiably basic unfriendly to ulcer activity commensurate to standard medicine omeprazole. The mean ulcer records of two medicines are moulded to be statically basic. Thus, the results were suggestive of threatening to ulcer genic development of aloe Vera. However, the cell frameworks for this activity stay to be established.^[20]

ANTISEPTIC

The sterile property of Aloe Vera is a result of the proximity of six clean experts, particularly lupeol, salicylic destructive, urea nitrogen, cinnamonic destructive, phenols and sulfur. These blends have inhibitory action on parasites, organisms and diseases. Despite the way that an extensive part of these usages are captivating controlled trials are critical to choosing its practicality in all diseases.^[21]

ANTI-INFLAMMATORY

Aloe Vera is an effective active medicinal plant of herbal drug formulation. It suppressed the cyclooxygenase and decreased prostaglandin E2 generation from arachidonic corrosive as of late, the novel calming compound called Cglucosyl chromone was disengaged from gel extracts. It very useful plant in the treatment in the anti-inflammation activity of aloe Vera. [22]

ANTI-BACTERIAL ACTIVITY

Aloe Vera gel was bactericidal against pseudomonas aeruginosa and acemannan kept it from holding fast to human lung epithelial cells in a monolayer society. A took care of Aloe Vera gel preparation ruined the improvement of the development of Candida albicans. The gel contains 99.3 water, the remaining 0.7% is made up of solid with starches constituting for a sweeping parts. Concentrated concentrates of Aloe leaves are used as a diuretic and as a

haemorrhoid treatment. Aloe gel can fortify the body's resistant framework Glucomannan and acemannan have been exhibited to revive wound recuperating, actuating macrophages., bracing-safe structure additionally antibacterial and antiviral effects. The preliminary phytochemistry revealed the closeness of terpenoids, flavonoids and tannins. Aloe secundiflora could be a rich wellspring of antimicrobial agents and it's utilised by the neighbourhood individuals of Victoria district of Kenya. [23]

ANTI-FUNGAL ACTIVITY

A refined aloe Vera gel preparation reported suppressed the growth of the fungus albbicans. The purified aloe proteins have been found to exhibit potent antifungal activity against candida paraphimosis, candida krusei and candida albinos.^[24]

ANTI-DIABETIC ACTIVITY

The primary restriction of the current clinical information about aloe Vera gel is little clinical studies that regularly need thorough approach. A few clinical trials are being directed to promote assess the utilization of aloe Vera gel for an assortment of clutters, and additionally to assist affirm customary employments of the plant extract.^[25]

ANTI-OXIDANT ACTIVITY

The utilization of this study was to quantify the capacity of fluid concentrate of Aloe Vera on oxidative damage and Anion Exchanger 1 (AE1, generally called Band 3) expression in human erythrocytes introduced to the water dissolvable free radical initiator 2.2'- azobis-2-amidinopropano dihydrochloride (AAPH). In addition, add up to phenolic blends in the concentrates was determined as catching corresponding and the diverse malignancy counteractive action operator activities stood out from regular and built standard cell fortifications, for instance, BHA and ascorbic corrosive. Since Aloe Vera separate did not bring about the utilization of the cytosolic cancer prevention agent, glutathione (GSH) when it was immediately hatched with GSH in fundamental circulated air through fluid arrangement, this shows Aloe Vera extricate does not continue auto-oxidation at this test condition. [26]

ANTI-VIRAL ACTIVITY

In this study, we attempted the antiviral activity of an unpleasant hot glycerin concentrate of Aloe Vera gel which was produced in Blusher (Southwest of Iran) against HSV-2 replication in the Vero cell line. The concentrate exhibited antiviral development against HSV-2 not

simply before the association and area of disease to the Vero cells but also on post-association periods of contamination replication. Thus, blends of Aloe Vera from Blusher could be a tolerable confidence as a trademark source.^[27]

ALLERGIES

Individuals who are oversensitive to garlic, onions, and tulips are more likely to have a sensitivity to aloe.^[4]

ANTI-DIABETIC

The five Phytosterols of Aloe Vera, phenol, 24-methyl-lophenol 24-ethyl-lophenol, cycloartanol and 24-methylene cycloartenol demonstrated hostile to diabetic impacts in sort 2 diabetic mice. Aloe Vera contains polysaccharides which expand the insulin level and show hypoglycemia Properties. The five Phytosterols of Aloe Vera, phenol, 24-methyl-lophenol, 24-ethyl-lophenol, cycloartanol and 24-methylene cycloartenol demonstrated hostile to diabetic impacts in sort 2 diabetic mice. Aloe Vera contains polysaccharides which expand the insulin level and show hypoglycemia Properties.^[28]

ANTI-INFLAMMATORY ACTION

The Anti-inflammatory activity of aloe Vera gel has been uncovered by various in vitro and in vivo contemplates Brady kinase movements of body. The peptidase Brady kinase was isolated from aloe and shown to break down the bradykinin, an inflammatory substance that induces pain.^[29]

ANTI-TUMOR ACTIVITY

Different glycoproteins are available in Aloe Vera. The counter tumour and antiulcer effects and build the expansion of ordinary human dermal cells. In recent studies, a polysaccharide division has appeared to repress the authority of benzopyrene to essential rodent hepatocytes, in this manner keeping the arrangement of possibly disease-starting benzopyrene-DNA adducts In the provoking of glutathione s-transferees and an impediment of the tumour-promoting effects of phorbol myristic acidic corrosive deduction has in like manner been represented which propos possible favourable circumstances of using aloe gel as a piece of cancer.^[30]

ADVERSE DRUG REACTION

Abdominal cramps

- Electrolyte imbalance
- Diarrhea
- Nausea
- Cause low potassium in the blood
- If you are pregnant avoid aloe Vera juice because it may stimulate uterine contraction and lead to miscarriage. [18]

DRY INTERACTION

- Store the gel at room temperature.
- Avoid using your hands and nails to take the product out of the tub.
- Keep it safe from sunlight damage.
- If you are using your hands, first wash your hands and allow them to dry properly.
- Use and clean spatula to scope the product.

EFFECT ON THE IMMUNE SYSTEM

Alprogen stifled calcium immersion into pole cells, in this way smothering the antigenantibody-interceded arrival of histamine tamine and leukotriene from pole cells. In a study on mice that had beforehand been embedded with murine sarcoma cells, acemannan animates the blend and arrival of interleukin-1 (IL-1) and tumour festering variable from macrophages in mice, which consequently began a resistant strike that achieved defilement and backslides of the damaging cells.^[31]

Chemical constituents	Quantity	Unit
Nitrogen	80.65	mg/100g
Phosphorus	6.95	mg/100g
Potassium	60.14	mg/100g
Iron	0.229	mg/100g
Zinc	0.028	mg/100g
Manganese	0.0266	mg/100g
Calcium	40.00	mg/100g
Copper	0.0042 mg/100g	
Magnesium	14.44 mg/100g	
Sodium	51.12 mg/100g	

GA3	16	mg/100g
IAA	0.63	mg/100g
ABA	3.06	mg/100g
Total carbohydrate	10.1	%
Glucose	3.2	g/100g
Protein	1.0	mg/g
Sterol	18.73	mg/g

MEDICINAL USE

- Aloe Vera is anthelmintic, cathartic, carminative, deobstuent, depurative, diuretic, stomachic, and emmenagoge.
- Juice is utilized as a part of healthy skin prescription, dyspepsia, amenorrhea, smoulders, colic, hyperemesis, hepatopathy, splenopathy, obstruction, range, menorrhoea, stomach, tumours, dropsy carbuncles, sciatica, lumbago and flatulence.
- Aloe Vera gel is very useful in ulcerative colitis and pressure ulcers. [32]

CONCLUSION

I studied too much information about herbal plants i.e. Aloe Vera. It is a specific plant, it shows various types of activities in the medical era so it plays an important role in the pharmaceutical field. Aloe Vera and its preparation have been widely used as a medicine since ancient times. Various researches have been conducted to prove the efficacy of aloe Vera in various health problems. The active ingredient hidden in its succulent leaves has the power to soothe human life and health in myriad ways. Aloe Vera as a wonder plant multiplied from being an antiseptic, an ant-inflammatory agent, helps in relieving cancer and diabetes and being a cosmetic field.

ETHICAL STATEMENT

It is the responsibility of a pharmacist to act honourably and truthfully. A pharmacist abstains from acts that undermine their commitment to serving their patients' best interests, including discriminatory practices, conduct, and working conditions that impair professional judgment. A pharmacist upholds their level of expertise.

ACKNOWLEDGEMENT

The authors would like to thank, Azad Institute of Pharmacy & Research (AIPR), **Lucknow**, **U.P**, **India**, Lucknow, Uttar Pradesh, India for extending their facilities.

CONFLICT OF INTEREST

The authors attest that they are free of any known financial or personal conflicts of interest that would taint the findings of this study.

INFORMED CONSENT

Using websites, review articles, and other sources to produce research content.

REFERENCES

- 1. Surjushe A, Vasani R, Saple DG. Aloe vera: a short review. Indian J Dermatol, 2008; 53(4): 163–6.
- 2. Sánchez M, González-Burgos E, Iglesias I, Gómez-Serranillos MP. Pharmacological Update Properties of Aloe Vera and its Major Active Constituents. Molecules, 2020 Mar; 25(6).
- 3. Vaou N, Stavropoulou E, Voidarou C, Tsigalou C, Bezirtzoglou E. Towards advances in medicinal plant antimicrobial activity: A review study on challenges and future perspectives. Microorganisms, 2021; 9(10): 1–28.
- 4. Pathak D, Sharma R. REVIEW ON "ALOE VERA- MEDICINAL PLANT ." 2017; (February).
- 5. Institute of Medicine (US) Committee on Strategies to Reduce Sodium Intake; Henney JE, Taylor CL, Boon CS, editors. Strategies to Reduce Sodium Intake in the United States. Washington (DC): National Academies Press (US); 2010. 4, Preservation and Physical Property Roles of Sodium in Foods. Available from: https://www.ncbi.nlm.nih.gov/books/NBK50952, 2010; (Dc): 50952.
- 6. Hamman JH. Composition and Applications of Aloe vera Leaf Gel, 2008; 1599–616.
- 7. On R, Vera A, Medicinal ITS, In A. REVIEW ON ALOE VERA PLANT AND ITS MEDICINAL, 2022; 11(4): 815–31.
- 8. Mehta I. "History OF Aloe Vera" (A Magical Plant), 2017; 22(8): 21–4.
- 9. Joy PP, Mathew S. Aromatic plants, 2016; (July).
- 10. Radha MH, Laxmipriya NP. Journal of Traditional and Complementary Medicine Evaluation of biological properties and clinical effectiveness of Aloe vera: A systematic review, 2015; 5: 21–6.
- 11. Tiwari M, Upadhayay M. The medicinal plant components and applications (Aloe vera), 2018; 6(3): 89–95.
- 12. Giri A, Das S, Giri M, Panda S. Role of Aloe Vera on Human / Animal Health: A review,

- 2022; 10(2): 721-34.
- 13. Pawar SP, Jadhav AS, Varale AS. Applications of Aloe Vera: (A Review), 2022; 12(4): 962–75.
- 14. Pegu AJ, Sharma A. Review on Aloe Vera, 2019; 35–40.
- 15. Patel DK, Patel K, Tahilyani V. Barbaloin: A concise report of its pharmacological and analytical aspects, 2012; 2(10): 835–8.
- 16. Jangra A, Sharma G, Sihag S, Chhokar V. The dark side of miracle plant-Aloe vera: a review. Mol Biol Rep [Internet]. 2022; (January). Available from: https://doi.org/10.1007/s11033-022-07176-9
- 17. Mangaiyarkarasi SP, Manigandan T, Elumalai M, Cholan PK, Kaur RP. Benefits of Aloe vera in dentistry. J Pharm Bioallied Sci, 2015 Apr; 7(Suppl 1): S255-9.
- 18. Guo X, Mei N. Aloe vera: A review of toxicity and adverse clinical effects, 2019.
- 19. Manirakiza A, Irakoze L, Manirakiza S. Aloe and its Effects on Cancer: A Narrative Literature Review, 2021; 5(1): 1–16.
- 20. Borra SK, Lagisetty RK, Mallela GR. Anti-ulcer effect of Aloe vera in non-steroidal anti-inflammatory drug induced peptic ulcers in rats, 2014; (May).
- 21. Jaidev S. Distinctive Utilization of Aloe Vera in Field of Dentistry, 2020; 8(2): 1–7.
- 22. Sharma P, Kharkwal A, Abdin MZ. A Review on Pharmacological Properties of Aloe vera, 2014; (December).
- 23. Goudarzi M, Fazeli M, Azad M, Seyedjavadi SS, Mousavi R. Aloe vera Gel: Effective Therapeutic Agent against Multidrug-Resistant Pseudomonas aeruginosa Isolates Recovered from Burn Wound Infections, 2015; 2015.
- 24. Saniasiaya J, Salim R, Mohamad I, Harun A. Antifungal Effect of Malaysian Aloe vera Leaf Extract on Selected Fungal Species of Pathogenic, 2017; 32(1): 41–6.
- 25. Hekmatpou D. The Effect of Aloe Vera Clinical Trials on Prevention and Healing of Skin Wound: A Systematic Review, 2019; 44(1).
- 26. Mazzulla S, Sesti S, Schella A, Perrotta I, Anile A, Drogo S. Protective Effect of Aloe vera (Aloe barbadensis Miller) on Erythrocytes Anion Transporter and Oxidative Change, 2012; 2012(December): 1697–702.
- 27. Zandi K, Zadeh MA, Sartavi K, Rastian Z. Antiviral activity of Aloe vera against herpes simplex virus type 2: An in vitro study, 2007; 6(August): 1770–3.
- 28. Procedure G. Identification of Five Phytosterols from Aloe Vera Gel as Anti-diabetic, 2006; 29(7): 1418–22.
- 29. Mahor G, Ali SA. Aloe vera in the treatment of various ailments, 2016; 9(2): 273–88.

- 30. Choi SW, Son BW, Son YS, Park YI, Lee SK, Chung MH. The wound-healing effect of a glycoprotein fraction isolated from aloe vera. Br J Dermatol, 2001 Oct; 145(4): 535–45.
- 31. Ro JY, Lee BC, Kim JY, Chung YJ, Chung MH, Lee SK, et al. Inhibitory mechanism of aloe single component (alprogen) on mediator release in guinea pig lung mast cells activated with specific antigen-antibody reactions. J Pharmacol Exp Ther, 2000 Jan; 292(1): 114–21.
- 32. IARC Working Group on the Evaluation of Carcinogenic Risks to Humans. Some Drugs and Herbal Products. Lyon (FR): International Agency for Research on Cancer; 2016. (IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, No. 108.) 1, Exposure Data. Available from: https://www.ncbi.nlm.nih.gov/books/NBK350431/, 2016; (108): 350431.